



since 1963



Price List


Effective from April 2025



Converging
Innovations



Expanding
Solutions



**Solutions For
Connectivity**




**Solutions For
Solar Photovoltaic**



**Solutions For
Metering & Protection**



**Solutions For
Control & Instrumentation**



**Solutions For
Railways**



**Solutions For
Oil & Gas Industry**

INDEX



PRODUCT	PAGE NUMBER	PRODUCT	PAGE NUMBER
DIN RAIL MOUNTED TERMINALS POLYAMIDE 6.6		STUD TYPE TERMINALS	
FEED THROUGH TERMINALS		KATM3E	9
KUT2.5	6	KATM4E	9
KUT4	6	KBTM4	9
KUT6	6	KBTM5-15	9
KUT10	6	KBTM6	9
KUT16	6	KBT100	9
KUT25	6	KBTM4E	9
KUT35	6	KBTM5E	10
KUT50	6	KBTM6E	10
KUT50/70A	6		
KUT95	6		
MULTIPLE OUTPUT TERMINALS (KUT SERIES)		STUD TYPE TERMINALS (Shrouded)	
KUT4-1X2	6	KATM3C (Shrouded Version)	10
KUT4-2X2	6	KATM4C (Shrouded Version)	10
		KATM5C (Shrouded Version)	10
EARTH TERMINALS		KBTM4C (Shrouded Version)	10
ET4	6	KBTM5-15C (Shrouded Version)	10
ET6	6	KBTM6C (Shrouded Version)	10
ET10	7	KABTM4C (Shrouded - Screw & Nut Driver Operated)	10
ET16	7	KABTM5C (Shrouded - Screw & Nut Driver Operated)	10
ET35	7	OAT2.5	10
ET50	7	OAT6	
MULTI-LEVEL TERMINALS (DOUBLE DECK)		OAT25	
KU2D4	7		
KU2D4S (Internally Shorted)	7	FUSE TERMINALS	
KUDD4	7	KUDF4NV	11
		KUDF4AD (With LED Indication)	11
SPRING LOADED TERMINALS		KUFH4	11
KULT4	7	KUFH4D (With LED Indication)	11
KULT6	7	KUFH4A (With LED Indication)	11
KULT1	7	KUF10	11
		KUF10D (With LED Indication)	11
THERMOCOUPLE TERMINALS		KUF10A (With LED Indication)	11
KUT4NTCK	8		
KUT4NTCJ	8	FUSE FEED THROUGH TERMINALS	
KUT4NTCT	8	KUDDF4	11
KUT4NTCE	8	KUDDF4AD (With LED Indication)	11
MULTI-LEVEL TERMINALS (TRIPLE DECK)			
DU3D4	8	PLUG & SOCKET TERMINALS	
DUSD4	8	PS8M (2W to 12W)	11
FEED THROUGH TERMINALS (KUT-N SERIES)			
KUT2.5N	8	DISCONNECTING TERMINALS (SLIDING LINK TYPE)	
KUT4N	8	KLTD4NV	12
KUT6N	8	KLTD4-2W	12
KUT10N	8	KUTSD6	12
KUT16N	8	KUTD10	
KUT25N	8	KULTD6 (Spring Loaded)	12
KUT35N	8	OAT6T (Hinged Type)	12
KUT50N	8	OAT6DTS (Hinged Type)	12
KUT70AN	8	OAT6DTS-2W (Hinged Type)	12
KUT95N	8	OAT10DTS	12
EARTH TERMINALS (N SERIES)			
ETN4	8	DISCONNECTING TERMINALS (KNIFE EDGE TYPE)	
ETN6	8	KULTD4	12
ETN10	9	KULTD4WS (Spring Loaded)	12
ETDD4N	9	KUDT4TS	12
		KUDT4-2X2	12
STUD TYPE TERMINALS (SCREW DRIVER OPERATED)		KUDT6	13
KATM3	9		
KABTM3L (Screw & Nut Driver Operated)	9		
KATM4	9		
KABTM4 (Screw & Nut Driver Operated)	9		
KATM5	9		
KABTM5	9		

INDEX



PRODUCT	PAGE NUMBER	PRODUCT	PAGE NUMBER
POWER TERMINALS (PANEL MOUNTED)		COMPONENT HOUSING	
PAT30	13	KPCH4	16
PAT100	13	KPCH6	16
PAT150	13	KUDD4CC1 (Common Cathode 1)	16
PAT250	13	KUDD4CC2 (Common Cathode 2)	16
POWER TERMINALS		KUDD4CA1 (Common Anode 1)	16
DPBB50	13	KUDD4CA2 (Common Anode 2)	16
DPBB50CN	13	KUDD4D1 (One Diode)	16
DPBB70	13	KUDD4R (One Resistor)	16
DPBB70CN	13	KUDD4MOV (With MOV)	16
DPBB120	13	MICRO TERMINALS (15mm Rail Mounted)	
DPBB120CN	13	SUT4	16
DPBB185N	13	SET4 (Earthing)	16
DPBB240	13	MICRO TERMINALS (Panel Mounted)	
POWER TERMINALS (Finger Safe)		PET4	17
SPT35 (35mm Rail Mounted)	14	PBTM3	17
SPT70 (35mm Rail Mounted)	14	PBTM4	17
SPT95 (35mm Rail Mounted)	14	SPRING CLAMP TERMINALS- FEED THROUGH (35mm Rail Mounted)	
SPT120 (35mm Rail Mounted)	14	DST2.5	17
SPT150 (35mm Rail Mounted)	14	DST4	17
SPT185 (35mm Rail Mounted)	14	DST6	17
SPT240 (35mm Rail Mounted)	14	DST10	17
SPT300 (35mm Rail Mounted)	14	DST16	17
DISTRIBUTION BLOCKS		DST35	17
FDBK-1X2	14	DST2.5-1X2	17
FDBK-1X4	14	DST2.5-2X2	17
FDBK-1X8	14	DST4-1X2	17
FDBK3	14	DST4-2X2	17
FDBK4	14	DST6-1X2	17
FDBK8	14	DST10-1X2	17
DBK-1X2	14	DST16-1X2	18
DBK-1X4	14	DST2.5-2C1P	18
DBK-1X8	15	DST2.5-2C2P	18
DFBK12	15	DST2.5-2C1PP	18
DBK3	15	SCT2.5 (Side - Entry)	18
DBK4	15	SCT4 (Side - Entry)	18
DBK5	15	SCT6 (Side - Entry)	18
DBK8	15	SCT10 (Side - Entry)	18
DBK150/16-1X2	15	SPRING CLAMP TERMINALS - MULTI LEVEL	
DBK150/16-1X4	15	DSDD2.5	18
DBK150/16-1X8	15	DS3L2.5	18
DBK150/25-1X2	15	DS8LP16	18
DBK150/25-1X4	15	DS8LP32	18
DBK150/25-1X8	15	SPRING CLAMP TERMINALS - FUSE	
DBK150/M6C-1X2	15	DCF4	18
DBK150/M6C-1X4	15	DCF4D (With LED Indication)	18
DBK150/M6C-1X8	15	DCF4A (With LED Indication)	18
COMPACT DISTRIBUTION BLOCKS		SCF6	18
DBD16	15	SPRING CLAMP DISCONNECT TERMINALS	
DBD35	15	DSDT2.5	19
DTB35-10	16	DSDT2.5-2X2	19
DTB35-10X4	16	SPRING CLAMP DISTRIBUTION BLOCKS	
		DTB35-10	19

INDEX



PRODUCT	PAGE NUMBER	PRODUCT	PAGE NUMBER
SPRING CLAMP DISTRIBUTION BLOCKS		SPRING LOADED TERMINALS	
DTB35-10X4	19	CSLT1	22
SPRING CLAMP TERMINALS (EARTHING)		STUD TYPE TERMINALS (SCREW DRIVER OPERATED)	
DSET2.5	19	CATM3	22
DSET4	19	CATM4	22
DSET6	19	CATM5	22
DSET10	19	STUD TYPE TERMINALS (NUT DRIVER OPERATED)	
SCET4	19	CBTM4	23
DSET2.5-1X2	19	CBTM5	23
DSET2.5-2X2	19	CBTM6	23
SPRING CLAMP MICRO TERMINALS (15mm Rail Mounted)		CBTM6S1	23
MCT2.5MC	19	STUD TYPE TERMINALS (SCREW & NUT DRIVER OPERATED)	
SCT2.5MC	19	CABTM4	23
SPRING CLAMP MICRO TERMINALS (PANEL MOUNTED)		PLUG & SOCKET TERMINALS	
MCT1.5	20	PSC1/5	23
MCT2.5	20	TEST - DISCONNECT TERMINALS	
MCT2.5P4	20	CATDM4	23
MCT4	20	CLTDM4	23
MCT4P4	20	POWER TERMINALS	
SPRING CLAMP MICRO TERMINALS (DIN RAIL MOUNTED)		CBT100	23
DMCT2.5P4	20	CBT110	23
PLUG & SOCKET TERMINALS		CBT170	23
DPSC5.08 (Wire to Wire)	20	CBT250	23
DPSC5.08 (Panel Mounted)	20	CBT300	23
LIGHTING POLE TERMINALS		POWER TERMINALS (WITH TAPPED CURRENT BAR)	
LPT225	20	CBT110T	24
LPT235	20	CBT170T	24
LPT325	20	CBT250T	24
LPT335	20	CBT300T	24
NEUTRAL LINKS		ACCESSORIES	
KNL4	21	DIN RAIL & END CLAMPS	29
KNL16	21	MARKING LABELS & WARNING LABELS	30
KNL35	21	END PLATES	31-32
DIN RAIL MOUNTED TERMINALS MELAMINE		PARTITION PLATES	32
FEED THROUGH TERMINALS		INTER CONNECTING ACCESSORIES	33-34
CST2.5	22	PROTECTION COVERS	34
CST6	22		
CST10	22		
CST16	22		
CST25	22		
CST35	22		

Price List for DIN Rail Mounted Terminals : Polyamide 6.6



Feed Through Terminals

KUT2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT2.5	10.20	11.20
	Voltage: 800 V	End Plate	KPNS	6.00	6.60
	Current: 24 A	Shorting Link	CCLM2.5K	15.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5.5	9.50	-
	Torque: 0.5 Nm				

KUT6				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT6	17.80	19.60
	Voltage: 800 V	End Plate	KPX	7.00	7.70
	Current: 41 A	Shorting Link	CCLA6	18.00	-
	Wire Size: 6 mm ²	Marker	LabelKN8	11.00	-
	Torque: 0.8 Nm				

KUT16				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT16	39.50	43.50
	Voltage: 1000 V	End Plate	KPY	9.10	10.00
	Current: 76 A	Shorting Link	CCLA16	23.00	-
	Wire Size: 16 mm ²	Marker	LabelKN12	12.00 (5 labels)	-
	Torque: 1.2 Nm				

KUT35				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT35	91.00	100.10
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 125 A	Shorting Link	CCLA35K	30.50	-
	Wire Size: 35 mm ²	Marker	LabelKN17	13.00 (5 labels)	-
	Torque: 3 Nm				

KUT50/70A				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT50/70A	265.00	291.50
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 192 A	Shorting Link	CCLA50	155.00	-
	Wire Size: 70 mm ²	Marker	LabelKN17	13.00 (5 labels)	-
	Torque: 8 Nm				

KUT4-1X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT4-1X2	29.00	31.90
	Voltage: 1000 V	End Plate	KPM4	12.70	14.00
	Current: 32 A	Shorting Link	CCLA4N	16.50	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	9.50	-
	Torque: 0.5 Nm				

Earth Terminals

ET4				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ET4	86.00	-
	Wire Size: 4 mm ²	End Plate	Not Required	-	-
	Torque: 0.5 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN5.5	9.50	-

All Shorting Link Prices are for 2 Way Shorting.

KUT4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT4	12.90	14.20
	Voltage: 800 V	End Plate	KPX	7.00	7.70
	Current: 32 A	Shorting Link	CCLA2.5	18.00	-
	Wire Size: 4 mm ²	Marker	LabelKN6.5	10.00	-
	Torque: 0.5 Nm				

KUT10				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT10	22.60	24.90
	Voltage: 800 V	End Plate	KPX	7.00	7.70
	Current: 57 A	Shorting Link	CCLA10	19.50	-
	Wire Size: 10 mm ²	Marker	LabelKN10	12.00	-
	Torque: 1.2 Nm				

KUT25				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT25	64.00	70.40
	Voltage: 1000 V	End Plate	KPT	9.10	10.00
	Current: 101 A	Shorting Link	CCLA25	25.50	-
	Wire Size: 25 mm ²	Marker	LabelKN12	12.00 (5 labels)	-
	Torque: 2.3 Nm				

KUT50				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT50	265.00	291.50
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 150 A	Shorting Link	CCLA50	155.00	-
	Wire Size: 50 mm ²	Marker	LabelKN17	13.00 (5 labels)	-
	Torque: 8 Nm				

KUT95				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT95	425.00	467.50
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 232 A	Shorting Link	Not Required	-	-
	Wire Size: 95 mm ²	Marker	LabelKN17	13.00 (5 labels)	-
	Torque: 20 Nm				

KUT4-2X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUT4-2X2	40.00	44.00
	Voltage: 800 V	End Plate	KPMD4	17.40	19.00
	Current: 24 A	Shorting Link	CCLA4N	16.50	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	9.50	-
	Torque: 0.5 Nm				

ET6				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ET6	100.00	-
	Wire Size: 6 mm ²	End Plate	Not Required	-	-
	Torque: 0.8 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN8	11.00	-

Price List for DIN Rail Mounted Terminals : Polyamide 6.6



ET10		Std. Colour	Non Std. Colour	
 IEC 60947-7-2 Wire Size: 10 mm² Torque: 1.2 Nm 	Terminal	ET10	127.00	-
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN10	12.00	-

ET35		Std. Colour	Non Std. Colour	
 IEC 60947-7-2 Wire Size: 35mm² Torque: 3 Nm 	Terminal	ET35	305.00	-
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN12	12.00 (5 labels)	-

ET16		Std. Colour	Non Std. Colour	
 IEC 60947-7-2 Wire Size: 16 mm² Torque: 1.2 Nm 	Terminal	ET16	140.00	-
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN12	12.00 (5 labels)	-

ET50		Std. Colour	Non Std. Colour	
 IEC 60947-7-2 Wire Size: 50mm² Torque: 8 Nm 	Terminal	ET50	730.00	-
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN17	13.00 (5 labels)	-

Multi-Level Terminals (Double Deck)

KU2D4		Std. Colour	Non Std. Colour	
 IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.4 Nm 	Terminal	KU2D4	32.50	35.80
	End Plate	EPDD4	12.20	13.40
	Shorting Link	CCLADD	15.50	-
	Marker	LabelKN5.5	9.50	-

KUDD4			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.4 Nm 	Terminal	KUDD4	36.50	40.20
	End Plate	KPDD	12.20	13.40
	Shorting Link	CCLADD	15.50	-
	Marker	LabelKN5.5	9.50	-

KU2D4S (Internally Shorted)		Std. Colour	Non Std. Colour	
 IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.4 Nm 	Terminal	KU2D4S	45.00	49.50
	End Plate	EPDD4	12.20	13.40
	Shorting Link	SLC4N	19.50	-
	Marker	LabelKN5.5	9.50	-

Spring Loaded Terminals

KULT4			Std. Colour	Non Std. Colour	
 	IEC 60947-7-1	Terminal	KULT4	37.50	41.30
	Voltage: 1000 V	End Plate	KPSL	12.80	14.10
	Current: 32 A	Shorting Link	CCLAK4	17.00	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	9.50	-
Torque: 0.5 Nm					

KULT1			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm² Torque: 1.2 Nm 	Terminal	KULT1	52.00	57.20
	End Plate	KPSL	12.80	14.10
	Shorting Link	CCLA1LK	26.00	-
	Marker	LabelKN10	12.00 (5 labels)	-

KULT4			Std. Colour	Non Std. Colour	
 	IEC 60947-7-1	Terminal	KULT4	37.50	41.30
	Voltage: 1000 V	End Plate	KPSL	12.80	14.10
	Current: 32 A	Shorting Link	CCLAK4	17.00	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	9.50	-
	Torque: 0.5 Nm				

KULT6			Std. Colour	Non Std. Colour	
 	IEC 60947-7-1	Terminal	KULT6	40.00	44.00
	Voltage: 1000 V	End Plate	KPSL	12.80	14.10
	Current: 41 A	Shorting Link	CCLAK6	20.00	-
	Wire Size: 6 mm ²	Marker	LabelKN8	11.00	-
	Torque: 1.4 Nm				

Price List for DIN Rail Mounted Terminals : Polyamide 6.6



Thermocouple Terminals

KUT4NTCK, KUT4NTCJ, KUT4NTCT, KUT4NTCE

 IEC 60947-7-1 Voltage: 400 V Current: 5 A Wire Size: 4 mm² Torque: 0.5 Nm CE	Type	Terminal	Std. Colour	Non Std. Colour
	'K' Type	KUT4NTCK	94.00	103.40
	'J' Type	KUT4NTCJ	127.00	139.70
	'T' Type	KUT4NTCT	127.00	139.70
	'E' Type	KUT4NTCE	127.00	139.70
	End Plate	KPXN	8.40	9.20
	Marker	LabelKN12	12.00 (5 labels)	-

Multi-Level Terminals (Triple Deck)

DU3D4

 IEC 60947-7-1 Voltage: 500 V Current: 20 A Wire Size: 2.5 mm² Torque: 0.5 Nm UL RI CE	Terminal	DU3D4	Std. Colour	Non Std. Colour
	End Plate	DP3D	17.00	18.70
	Shorting Link	CCLATD	15.50	-
	Marker	LabelKN5.5	9.50	-

DUSD4

 IEC 60947-7-1 Voltage: 500 V Current: 20 A Wire Size: 2.5 mm² Torque: 0.5 Nm UL RI CE	Terminal	DUSD4	Std. Colour	Non Std. Colour
	End Plate	DPSD	12.80	14.10
	Shorting Link	CCLATD	15.50	-
	Marker	LabelKN5.5	9.50	-

Feed Through Terminals (KUT-N Series)

KUT2.5N

 IEC 60947-7-1 Voltage: 1000 V Current: 24 A Wire Size: 2.5 mm² Torque: 0.4 Nm UL RI CE	Terminal	KUT2.5N	Std. Colour	Non Std. Colour
	End Plate	KPXN	8.40	9.20
	Shorting Link	CCLM2.5N	15.00	-
	Marker	LabelKN5	11.00	-

KUT4N

 IEC 60947-7-1 Voltage: 1000 V Current: 32 A Wire Size: 4mm² Torque: 0.5 Nm UL RI CE	Terminal	KUT4N	Std. Colour	Non Std. Colour
	End Plate	KPXN	8.40	9.20
	Shorting Link	CCLA4N	16.50	-
	Marker	LabelKN5.5	9.50	-

KUT6N

 IEC 60947-7-1 Voltage: 1000 V Current: 41 A Wire Size: 6 mm² Torque: 0.8 Nm UL RI CE	Terminal	KUT6N	Std. Colour	Non Std. Colour
	End Plate	KPXN	8.40	9.20
	Shorting Link	CCLA6N	18.00	-
	Marker	LabelKN8	11.00	-

KUT10N

 IEC 60947-7-1 Voltage: 1000 V Current: 63 A Wire Size: 10mm² Torque: 1.2 Nm UL RI CE	Terminal	KUT10N	Std. Colour	Non Std. Colour
	End Plate	KPXN	8.40	9.20
	Shorting Link	CCLA10N	19.50	-
	Marker	LabelKN10	12.00	-

KUDD4N

 IEC 60947-7-1 Voltage: 630 V Current: 28 A Wire Size: 4 mm² Torque: 0.5 Nm UL RI CE	Terminal	KUDD4N	Std. Colour	Non Std. Colour
	End Plate	KPDDN	19.10	21.00
	Shorting Link	CCLADDN	20.00	-
	Marker	LabelKN5.5	9.50	-

Earth Terminals (N-Series)

ETN4

 IEC 60947-7-2 Wire Size: 4 mm² Torque: 0.5 Nm CE	Terminal	ETN4	Std. Colour	Non Std. Colour
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN5.5	9.50	-

ETN6

 IEC 60947-7-2 Wire Size: 6 mm² Torque: 0.8 Nm CE	Terminal	ETN6	Std. Colour	Non Std. Colour
	End Plate	Not Required	-	-
	Shorting Link	Not Required	-	-
	Marker	LabelKN8	11.00	-

Price List for DIN Rail Mounted Terminals : Polyamide 6.6



ETN10				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ETN10	120.00	-
	Wire Size: 10 mm ²	End Plate	Not Required	-	-
	Torque: 1.2 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN10	12.00	-

ETDD4N				Std. Colour	Non Std. Colour
	IEC 60947-7-2	Terminal	ETDD4N	150.00	-
	Wire Size: 4 mm ²	End Plate	KPDDN (Gr)	21.00	-
	Torque: 0.5 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN5.5	9.50	-

Stud Type Terminals

KATM3				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KATM3	40.00	44.00
	Voltage: 800 V	End Plate	KPS4	11.20	12.30
	Current: 24 A	Shorting Link	KSL3	25.80	-
	Wire Size: 2.5 mm ²	Marker	LabelKN6.5	10.00	-

KABTM3L (Screw & Nut Driver Operated)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KABTM3L	35.00	38.50
	Voltage: 800 V	End Plate	KPS4	11.20	12.30
	Current: 24 A	Shorting Link	KSL3	25.80	-
	Wire Size: 2.5 mm ²	Marker	LabelKN6.5	10.00	-

KATM4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KATM4	50.00	55.00
	Voltage: 1000 V	End Plate	KPS4	11.20	12.30
	Current: 57 A	Shorting Link	KSL4	27.00	-
	Wire Size: 10 mm ²	Marker	LabelKN6.5	10.00	-

KABTM4 (Screw & Nut Driver Operated)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KABTM4	46.00	50.60
	Voltage: 1000 V	End Plate	KPS4	11.20	12.30
	Current: 57 A	Shorting Link	KSL4	27.00	-
	Wire Size: 10 mm ²	Marker	LabelKN6.5	10.00	-

KATM5				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KATM5	60.00	66.00
	Voltage: 800 V	End Plate	KPS4	11.20	12.30
	Current: 76 A	Shorting Link	KSL4	27.00	-
	Wire Size: 16 mm ²	Marker	LabelKN6.5	10.00	-

KABTM5				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KABTM5	51.00	56.10
	Voltage: 800 V	End Plate	KPS4	11.20	12.30
	Current: 76 A	Shorting Link	KSL5	28.00	-
	Wire Size: 16 mm ²	Marker	LabelKN6.5	10.00	-

KATM3E				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KATM3E	27.00	29.70
	Voltage: 800 V	End Plate	KPS4	11.20	12.30
	Current: 24 A	Shorting Link	KSL3	25.80	-
	Wire Size: 2.5 mm ²	Marker	LabelKN6.5	10.00	-

KATM4E				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KATM4E	31.00	34.10
	Voltage: 1000 V	End Plate	KPS4	11.20	12.30
	Current: 57 A	Shorting Link	KSL4	27.00	-
	Wire Size: 10 mm ²	Marker	LabelKN6.5	10.00	-

KBTM4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KBTM4	47.00	51.70
	Voltage: 1000 V	End Plate	KPS4	11.20	12.30
	Current: 57 A	Shorting Link	KSL4	27.00	-
	Wire Size: 10 mm ²	Marker	LabelKN6.5	10.00	-

KBTM5-15				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KBTM5-15	51.00	56.10
	Voltage: 800 V	End Plate	KPS4	11.20	12.30
	Current: 76 A	Shorting Link	KSL5	28.00	-
	Wire Size: 16 mm ²	Marker	LabelKN6.5	10.00	-

KBTM6				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KBTM6	73.00	80.30
	Voltage: 800 V	End Plate	KPS4	11.20	12.30
	Current: 101 A	Shorting Link	KSL6	30.00	-
	Wire Size: 25 mm ²	Marker	LabelKN6.5	10.00	-

KBT100				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KBT100	75.00	82.50
	Voltage: 800 V	End Plate	KPS100	14.40	15.80
	Current: 125 A	Partition Plate	KBXF	20.20	22.20
	Wire Size: 35 mm ²	Marker	LabelKN6.5	10.00	-

KBTM4E				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KBTM4E	35.00	38.50
	Voltage: 1000 V	End Plate	KPS4	11.20	12.30
	Current: 57 A	Shorting Link	KSL4	27.00	-
	Wire Size: 10 mm ²	Marker	LabelKN6.5	10.00	-

KBTM5E				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KBTM5E	40.00	44.00
	Voltage: 800 V	End Plate	KPS4	11.20	12.30
	Current: 76 A	Shorting Link	KSL5	28.00	-
	Wire Size: 16 mm ²	Marker	LabelKN6.5	10.00	-

All Shorting Link Prices are for 2 Way Shorting.

Price List for DIN Rail Mounted Terminals : Polyamide 6.6

Stud Type Terminals

KBTM6E				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 35 mm ² Torque: 2 Nm	Terminal	KBTM6E	62.00	68.20
		End Plate	KPS6	13.90	-
		Marker	LabelKN12	12.00(5 labels)	-

Stud Type Terminals (Shrouded)

KATM3C (Shrouded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm ² Torque: 0.5 Nm	Terminal	KATM3C	50.00	55.00
		End Plate	Not Required	-	-
		Marker	LabelKN6.5	10.00	-

KATM4C (Shrouded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	KATM4C	58.00	63.80
		End Plate	Not Required	-	-
		Marker	LabelKN10	12.00	-

KATM5C (Shrouded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm ² Torque: 2 Nm	Terminal	KATM5C	65.00	71.50
		End Plate	Not Required	-	-
		Marker	LabelKN10	12.00	-

KBTM4C (Shrouded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	KBTM4C	56.00	61.60
		End Plate	Not Required	-	-
		Marker	LabelKN10	12.00	-

KBTM5-15C (Shrouded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm ² Torque: 2 Nm	Terminal	KBTM5-15C	65.00	71.50
		End Plate	Not Required	-	-
		Marker	LabelKN12	12.00(5 labels)	-

KBTM6C (Shrouded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 101 A Wire Size: 25 mm ² Torque: 2.5 Nm	Terminal	KBTM6C	87.00	95.70
		End Plate	Not Required	-	-
		Marker	LabelKN17	13.00(5 labels)	-

KABTM4C (Shrouded - Screw & Nut Driver Operated)				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	KABTM4C	51.50	56.70
		End Plate	Not Required	-	-
		Shorting Link	-	-	-
		Marker	LabelKN10	12.00	-

KABTM5C (Shrouded - Screw & Nut Driver Operated)				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm ² Torque: 2 Nm	Terminal	KABTM5C	60.00	66.00
		End Plate	Not Required	-	-
		Shorting Link	-	-	-
		Marker	LabelKN10	12.00	-

OAT2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm ² Torque: 0.5 Nm	Terminal	OAT2.5	45.00	49.50
		End Plate	OEP2.5	10.30	11.30
		Shorting Link	OSL2.5	25.00	-
		Marker	LabelKN6.5	10.00	-

OAT6				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 6 mm ² Torque: 1.5 Nm	Terminal	OAT6	54.00	59.40
		End Plate	OEP6	11.20	12.30
		Shorting Link	OSL6	27.00	-
		Marker	LabelKN9	11.00	-

OAT25				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 125A Wire Size: 25 mm ² Torque: 3 Nm	Terminal	OAT25	129.00	141.90
		End Plate	OEP25	14.90	16.40
		Shorting Link	KSL7	34.50	-
		Marker	LabelKN17	13.00(5 labels)	-

Price List for DIN Rail Mounted Terminals : Polyamide 6.6



Fuse Terminals

KUDF4NV*				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDF4NV	45.00	49.50
	Voltage: 800 V	End Plate	Not Required	-	-
	Current: 6.3 A	Shorting Link	UFSL	26.00	-
	Wire Size: 4 mm ²	Marker	LabelKN8	11.00	-
Torque: 0.4 Nm					

KUDF4AD** (With LED Indication)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDF4AD	67.00	73.70
	Voltage: 800 V	End Plate	Not Required	-	-
	Current: 6.3 A	Shorting Link	UFSL	26.00	-
	Wire Size: 4 mm ²	Marker	LabelKN8	11.00	-
Torque: 0.4 Nm					

KUFH4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUFH4	93.00	102.30
	Voltage: 800 V	End Plate	EPFH	13.80	15.20
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 4 mm ²	Marker	LabelKN9	11.00	-
Torque: 0.5 Nm					

KUFH4D*** (With LED Indication)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUFH4D	120.00	132.00
	Voltage: 800 V	End Plate	EPFH	13.80	15.20
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 4 mm ²	Marker	LabelKN9	11.00	-
Torque: 0.5 Nm					

KUFH4A*** (With LED Indication)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUFH4A	121.00	133.10
	Voltage: 800 V	End Plate	EPFH	13.80	15.20
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 4 mm ²	Marker	LabelKN9	11.00	-
Torque: 0.5 Nm					

KUF10				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUF10	125.00	137.50
	Voltage: 1000 V	End Plate	EPF10	19.20	21.10
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 10 mm ²	Marker	LabelKN12	12.00(5 labels)	-
Torque: 1.4 Nm					

KUF10D*** (With LED Indication)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUF10D	143.00	157.30
	Voltage: 1000 V	End Plate	EPF10	19.20	21.10
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 10 mm ²	Marker	LabelKN12	12.00(5 labels)	-
Torque: 1.4 Nm					

KUF10A*** (With LED Indication)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUF10A	148.00	162.80
	Voltage: 1000 V	End Plate	EPF10	19.20	21.10
	Current: 12 A	Shorting Link	Not Available	-	-
	Wire Size: 10 mm ²	Marker	LabelKN12	12.00(5 labels)	-
Torque: 1.4 Nm					

Fuse Feed Through Terminals

KUDDF4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDDF4	106.00	116.60
	Voltage: 630 V	End Plate	Not Required	-	-
	Current: 6.3A UT/28ALT	Shorting Link	UFSL	26.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN8	11.00	-
Torque: 0.5 Nm					

KUDDF4AD** (With LED Indication)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDDF4AD	122.00	134.20
	Voltage: 630 V	End Plate	Not Required	-	-
	Current: 6.3A UT/28ALT	Shorting Link	UFSL	26.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN8	11.00	-
Torque: 0.5 Nm					

Plug & Socket Terminal

PS8M* (2W to 12W)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	PS8M (2 Way)	108.00	118.80
	Voltage: 800 V	End Plate	Not Required	-	-
	Current: 32 A	Shorting Link	Not Required	-	-
	Wire Size: 6 mm ²	Marker	LabelKN6.5	10.00	-
Torque: 0.8 Nm					

* With spare fuse provision in lever.

**Available Signal Voltage AD12V = 12 V (12KΩ), AD24V = 24 V (27KΩ), AD48V = 48 V (56KΩ), AD110V = 110 V (130KΩ), AD220V = 220 V (270KΩ)

***Available Signal Voltage D1 = 24 VDC (27KΩ), D2 = 48 VDC (56 KΩ), D3 = 110 VDC (130 KΩ), D4 = 220 VDC (270 KΩ), D5 = 12 VDC (12 KΩ), A1 = 110 VAC (130 KΩ), A2 = 220 VAC (270 KΩ)

* PS8M-4 Way to 8 Way Prices are shown on page 26

All Shorting Link Prices are for 2 Way Shorting.

Price List for DIN Rail Mounted Terminals : Polyamide 6.6



Disconnecting Terminals (Sliding Link Type)

KLTD4NV				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KLTD4NV	65.00	71.50
	Voltage: 800 V	End Plate	KPLD	15.40	16.90
	Current: 41 A	Shorting Link	KDSL4	28.00	-
	Wire Size: 6 mm ² Torque: 1.2 Nm	Marker	LabelKN5.5	9.50	-

KLTD4-2W				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KLTD4 -2W	173.00	190.30
	Voltage: 800 V	End Plate	KPLD	15.40	16.90
	Current: 41 A	Shorting Link	Not Required	-	-
	Wire Size: 6 mm ² Torque: 1.2 Nm	Marker	LabelKN5.5	9.50	-

KUTSD6				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUTSD6	70.00	77.00
	Voltage: 800 V	End Plate	KPSD	13.80	15.20
	Current: 38 A	Shorting Link	SLC6	26.00	-
	Wire Size: 6 mm ² Torque: 1.4 Nm	Marker	LabelKN8	11.00	-

KUTD10				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUTD10	102.00	112.20
	Voltage: 630 V	End Plate	KPTD	15.40	16.90
	Current: 61 A	Shorting Link	SLC6	26.00	-
	Wire Size: 10 mm ² Torque: 1.2 Nm	Marker	LabelKN8	11.00	-

KULTD6 (Spring Loaded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KULTD6	130.00	143.00
	Voltage: 800 V	End Plate	KPSLD	14.90	16.40
	Current: 41 A	Shorting Link	SLD6	26.00	-
	Wire Size: 6 mm ² Torque: 1.0 Nm	Marker	LabelKN8	11.00	-

OAT6T (Hinged Type)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	OAT6T	78.00	85.80
	Voltage: 800 V	End Plate	OEP6T	16.00	17.60
	Current: 41 A	Shorting Link	OSL6R	32.00	-
	Wire Size: 6 mm ² Torque: 1.5 Nm	Marker	LabelKN9	11.00	-

OAT6DTS				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	OAT6DTS	90.00	99.00
	Voltage: 800 V	End Plate	OEP6DTS	16.50	18.20
	Current: 41 A	Shorting Link	OSL6R	32.00	-
	Wire Size: 6 mm ² Torque: 1.5 Nm	Marker	LabelKN9	11.00	-


OAT6DTS-2W				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	OAT6DTS-2W	187.00	205.70
	Voltage: 800 V	End Plate	OEP6DTS	16.50	18.20
	Current: 41 A	Shorting Link	OSL6R	32.00	-
	Wire Size: 6 mm ² Torque: 1.5 Nm	Marker	LabelKN9	11.00	-

OAT10DTS				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	OAT10DTS	120.00	132.00
	Voltage: 1000 V	End Plate	OEP10DTS	18.70	20.60
	Current: 57 A	Shorting Link	OSLD10	64.50	-
	Wire Size: 6 mm ² Torque: 2 Nm	Marker	LabelKN12	12.00 (5 labels)	-

Disconnecting Terminals (Knife Edge Type)

KULTD4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KULTD4	43.50	47.90
	Voltage: 800 V	End Plate	KPSD4	11.70	12.90
	Current: 20 A	Shorting Link	SLC4N	19.50	-
	Wire Size: 4 mm ² Torque: 0.6 Nm	Marker	LabelKN5.5	9.50	-

KULTD4WS (Spring Loaded)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KULTD4WS	100.00	110.00
	Voltage: 800 V	End Plate	KPSD4	11.70	12.90
	Current: 20 A	Shorting Link	SLC4N	19.50	-
	Wire Size: 4 mm ² Torque: 0.6 Nm	Marker	LabelKN5.5	9.50	-

KULTD4TS				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KULTD4TS	85.00	93.50
	Voltage: 800 V	End Plate	KPSD4	11.70	12.90
	Current: 20 A	Shorting Link	SLC4N	19.50	-
	Wire Size: 4 mm ² Torque: 0.6 Nm	Marker	LabelKN5.5	9.50	-

KUDT4-2X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	KUDT4-2X2	85.00	93.50
	Voltage: 800 V	End Plate	KPMD4	17.40	19.00
	Current: 17.5 A	Shorting Link	SLC4N	19.50	-
	Wire Size: 4 mm ² Torque: 0.5 Nm	Marker	LabelKN5.5	9.50	-

All Shorting Link Prices are for 2 Way Shorting.

Disconnecting Terminals (Knife Edge Type)

KUDT6			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 6 mm ² Torque: 0.8 Nm	Terminal	KUDT6	77.00	84.70
	End Plate	KPSD4	11.70	12.90
	Shorting Link	KSLD6	23.00	-
	Marker	LabelKN8	11.00	-

Power Terminals (Panel Mounted)

PAT30			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	PAT 30	32.00	35.20
	End Plate	EPA30	13.30	14.60
	Shorting Link	Not Required	-	-
	Marker	LabelKN8	11.00	-

PAT100			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 100 A Wire Size: 25 mm ² Torque: 3 Nm	Terminal	PAT100	129.00	141.90
	End Plate	EPA100	19.10	21.00
	Shorting Link	Not Required	-	-
	Marker	LabelKN8	11.00	-

PAT150			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: 150 A Wire Size: 50 mm ² Torque: 6 Nm	Terminal	PAT150	204.00	224.40
	End Plate	EPA100	19.10	21.00
	Shorting Link	Not Required	-	-
	Marker	LabelKN8	11.00	-

PAT250			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 400 V Current: 250 A Wire Size: 95 mm ² Torque: 10 Nm	Terminal	PAT250	310.00	341.00
	End Plate	EPA100	19.10	21.00
	Shorting Link	Not Required	-	-
	Marker	LabelKN8	11.00	-

Power Terminals

DPBB50			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 150 A Wire Size: 50 mm ² Torque: 3 Nm	Terminal	DPBB50	163.00	179.30
	Barrier Plate	BPN70	37.30	41.00
	Marker	LabelKN10	12.00	-

DPBB50CN			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 150 A Wire Size: 50 mm ² Torque: 3 Nm	Terminal	DPBB50CN	171.00	188.10
	Barrier Plate	BPN70	37.30	41.00
	Marker	LabelKN10	12.00	-

DPBB70			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 192 A Wire Size: 70 mm ² Torque: 3 Nm	Terminal	DPBB70	225.00	247.50
	Barrier Plate	BPN70	37.30	41.00
	Marker	LabelKN10	12.00	-

DPBB70CN			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 192 A Wire Size: 70 mm ² Torque: 3 Nm	Terminal	DPBB70CN	235.00	258.50
	Barrier Plate	BPN70	37.30	41.00
	Marker	LabelKN10	12.00	-

DPBB120			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 269 A Wire Size: 120 mm ² Torque: 6 Nm	Terminal	DPBB120	345.00	379.50
	Barrier Plate	BPN120	42.50	46.80
	Marker	LabelKN10	12.00	-

DPBB120CN			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 269 A Wire Size: 120 mm ² Torque: 6 Nm	Terminal	DPBB120CN	357.00	392.70
	Barrier Plate	BPN120	42.50	46.80
	Marker	LabelKN10	12.00	-

DPBB185N			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 353 A Wire Size: 185 mm ² Torque: 14 Nm	Terminal	DPBB185N	750.00	825.00
	Barrier Plate	BPA185/240	58.50	64.40
	Marker	LabelKN10	12.00	-

DPBB240			Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 1000 V Current: 415 A Wire Size: 240 mm ² Torque: 25 Nm	Terminal	DPBB240	860.00	946.00
	Barrier Plate	BPA185/240	58.50	64.40
	Marker	LabelKN10	12.00	-

All Shorting Link Prices are for 2 Way Shorting.

Price List for DIN Rail Mounted Terminals : Polyamide 6.6



Power Terminals (Finger Safe)

SPT35 (35mm Rail Mounted)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	SPT35	260.00	286.00
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 140 A	Marker	LabelKN12	12.00(5 labels)	-
	Wire Size: 35 mm ²				
Torque: 3 Nm					

SPT70 (35mm Rail Mounted)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	SPT70	395.00	434.50
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 192 A	Marker	LabelKN12	12.00(5 labels)	-
	Wire Size: 70 mm ²				
Torque: 6 Nm					

SPT95 (35mm Rail Mounted)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	SPT95	420.00	462.00
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 232 A	Marker	LabelKN12	12.00(5 labels)	-
	Wire Size: 95 mm ²				
Torque: 6 Nm					

SPT120 (35mm Rail Mounted)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	SPT120	620.00	682.00
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 269 A	Marker	LabelKN12	12.00(5 labels)	-
	Wire Size: 120 mm ²				
Torque: 10 Nm					

SPT150 (35mm Rail Mounted)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	SPT150	640.00	704.00
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 320 A	Marker	LabelKN12	12.00(5 labels)	-
	Wire Size: 150 mm ²				
Torque: 10 Nm					

SPT185 (35mm Rail Mounted)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	SPT185	1000.00	1100.00
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 353 A	Marker	LabelKN12	12.00(5 labels)	-
	Wire Size: 185 mm ²				
Torque: 14 Nm					

SPT240 (35mm Rail Mounted)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	SPT240	1060.00	1166.00
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 415 A	Marker	LabelKN12	12.00(5 labels)	-
	Wire Size: 240 mm ²				
Torque: 14 Nm					

SPT300 (35mm Rail Mounted)				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	SPT300	1300.00	1430.00
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 520 A	Marker	LabelKN12	12.00(5 labels)	-
	Wire Size: 300 mm ²				
Torque: 25 Nm					

Distribution Blocks

FDBK-1X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Distribution Block	FDBK-1X2	171.00	188.10
	Voltage: 800 V	Partition Plate	KBXF	20.20	22.20
	Current: IC-64A, OG-32A	Shorting Link	Not Required	-	-
	Wire Size: IC-25 mm ² OG-4 mm ²	Marker	LabelKN6.5	10.00	-
	Torque: IC-2.5 Nm OG-0.5 Nm				

FDBK-1X4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Distribution Block	FDBK-1X4	201.00	221.10
	Voltage: 800 V	Partition Plate	KBXF	20.20	22.20
	Current: IC-64A, OG-32A	Shorting Link	Not Required	-	-
	Wire Size: IC-25 mm ² OG-4 mm ²	Marker	LabelKN10	12.00	-
	Torque: IC-2.5 Nm OG-0.5 Nm				

FDBK-1X8				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Distribution Block	FDBK-1X8	311.00	342.10
	Voltage: 800 V	Partition Plate	KBXF	20.20	22.20
	Current: IC-64A, OG-32A	Shorting Link	Not Required	-	-
	Wire Size: IC-25 mm ² OG-4 mm ²	Marker	LabelKN10	12.00	-
	Torque: IC-2.5 Nm OG-0.5 Nm				

FDBK3, FDBK4, FDBK8				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Distribution Block	FDBK3	76.50	84.20
	Voltage: 800 V		FDBK4	101.50	111.70
	Current: IC-32A, OG-32A		FDBK8	203.00	223.30
	Wire Size: IC-4 mm ² OG-4 mm ²	Partition Plate	KBXF	20.20	22.20
	Torque: IC-0.5 Nm OG-0.5 Nm	Shorting Link	Not Required	-	-
		Marker	LabelKN6.5	10.00	-

DBK-1X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Distribution Block	DBK-1X2	209.00	229.90
	Voltage: 800 V	Partition Plate	KBXF	20.20	22.20
	Current: IC-114A, OG-57A	Shorting Link	Not Required	-	-
	Wire Size: IC-35 mm ² OG-10 mm ²	Marker	LabelKN10	12.00	-
	Torque: IC-6Nm OG-1.2 Nm				

DBK-1X4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Distribution Block	DBK-1X4	280.00	308.00
	Voltage: 800 V	Partition Plate	KBXF	20.20	22.20
	Current: IC-114A, OG-57A	Shorting Link	Not Required	-	-
	Wire Size: IC-35 mm ² OG-10 sq mm	Marker	LabelKN10	12.00	-
	Torque: IC-6 Nm OG-1.2 Nm				

Price List for DIN Rail Mounted Terminals : Polyamide 6.6



DBK-1X8		Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-114A, OG-57A Wire Size: IC-35 mm ² OG-10 sq mm Torque: IC-6 Nm OG-1.2 Nm	Distribution Block DBK-1X8	396.00 435.60
		Partition Plate KBXF	20.20 22.20
		Shorting Link Not Required	- -
		Marker LabelKN10	12.00 -

DFBK12		Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 50 A Wire Size: 10/4 mm ² Torque: 1.2/0.5 Nm	Distribution Block DFBK12	310.00 341.00
		Partition Plate KBXF	20.20 22.20
		Shorting Link Not Required	- -
		Marker LabelKN 6.5/ LabelKN10	10.00/ 12.00 -

DBK3, DBK4, DBK5, DBK8		Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-57A, OG-57A Wire Size: IC-10 mm ² OG-10 mm ² Torque: IC-1.2 Nm OG-1.2 Nm	Distribution Block DBK3	99.00 108.90
		DBK4	132.00 145.20
		DBK5	198.00 217.80
		DBK8	264.00 290.40
		Partition Plate KBXF	20.20 22.20
		Shorting Link Not Required	- -
		Marker LabelKN10	12.00 -

DBK150/16-1X2		Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-269A, OG-76A Wire Size: IC-150 mm ² OG-16 mm ² Torque: IC-14 Nm OG-1.2 Nm	Distribution Block DBK150/16-1X2	760.00 836.00
		Partition Plate KBXF	20.20 22.20
		Shorting Link Not Required	- -
		Marker LabelKN12	12.00(5 labels) -

DBK150/16-1X4		Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-269A, OG-76A Wire Size: IC-150 mm ² OG-16 mm ² Torque: IC-14 Nm OG-1.2 Nm	Distribution Block DBK150/16-1X4	860.00 946.00
		Partition Plate KBZF	25.50 28.10
		Shorting Link Not Required	- -
		Marker LabelKN12	12.00(5 labels) -

DBK150/16-1X8		Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-269A, OG-76A Wire Size: IC-150 mm ² OG-16 mm ² Torque: IC-14 Nm OG-1.2 Nm	Distribution Block DBK150/16-1X8	1060.00 1166.00
		Partition Plate KBZF	25.50 28.10
		Shorting Link Not Required	- -
		Marker LabelKN12	12.00(5 labels) -

DBK150/25-1X2		Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-101A Wire Size: IC-150 mm ² OG-25 mm ² Torque: IC-14 Nm OG-2.3 Nm	Distribution Block DBK150/25-1X2	850.00 935.00
		Partition Plate KBZF	25.50 28.10
		Shorting Link Not Required	- -
		Marker LabelKN12	12.00(5 labels) -

DBK150/25-1X4		Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-101A Wire Size: IC-150 mm ² OG-25 mm ² Torque: IC-14 Nm OG-2.3 Nm	Distribution Block DBK150/25-1X4	980.00 1078.00
		Partition Plate KBZF	25.50 28.10
		Shorting Link Not Required	- -
		Marker LabelKN12	12.00(5 labels) -

DBK150/25-1X8		Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-101A Wire Size: IC-150 mm ² OG-25 mm ² Torque: IC-14 Nm OG-2.3 Nm	Distribution Block DBK150/25-1X8	1240.00 1364.00
		Partition Plate KBZF	25.50 28.10
		Shorting Link Not Required	- -
		Marker LabelKN12	12.00(5 labels) -

DBK150/M6C-1X2		Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-125A Wire Size: IC-150 mm ² OG-35 mm ² Torque: IC-14 Nm OG-2.5 Nm	Distribution Block DBK150/M6C-1X2	1040.00 1144.00
		Partition Plate KBXF	20.20 22.20
		Shorting Link Not Required	- -
		Marker LabelKN12	12.00(5 labels) -

DBK150/M6C-1X4		Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-125A Wire Size: IC-150 mm ² OG-35 mm ² Torque: IC-14 Nm OG-2.5 Nm	Distribution Block DBK150/M6C-1X4	1180.00 1298.00
		Partition Plate KBXF	20.20 22.20
		Shorting Link Not Required	- -
		Marker LabelKN12	12.00(5 labels) -

DBK150/M6C-1X8		Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: IC-309A, OG-125A Wire Size: IC-150 mm ² OG-35 mm ² Torque: IC-14 Nm OG-2.5 Nm	Distribution Block DBK150/M6C-1X8	1460.00 1606.00
		Partition Plate KBXF	20.20 22.20
		Shorting Link Not Required	- -
		Marker LabelKN12	12.00(5 labels) -

Compact Distribution Blocks

DBD16		Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 630 V Current: 76 A Wire Size: IC-16 mm ² OG-6 mm ² , 16mm ² OG-0.8 Nm, 1.2 Nm	Distribution Block DBD16	350.00 385.00
		Partition Plate KBXF	20.20 22.20
		Shorting Link Not Required	- -
		Marker LabelKN12	12.00(5 labels) -

DBD35		Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 630 V Current: 125 A Wire Size: IC-35 mm ² OG-10 mm ² , 16 mm ² Torque: IC-4.5 Nm OG-1.2 Nm	Distribution Block DBD35	500.00 550.00
		Partition Plate KBXF	20.20 22.20
		Shorting Link Not Required	- -
		Marker LabelKN12	12.00(5 labels) -

Price List for DIN Rail Mounted Terminals : Polyamide 6.6



Compact Distribution Blocks

DTB35-10		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 630 V Current: 76 A Wire Size: IC-16 mm² OG- 6 mm², 16mm² Torque: IC-1.2 Nm OG- 0.8 Nm, 1.2 Nm	Distribution Block	DTB35-10	210.00 On Request
	End Plate	Not Required	- -
	Shorting Link	SLC17.5	59.00 -
	Marker	LabelKN12	12.00 (5 labels) -

DTB35-10X4		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 630 V Current: 125 A Wire Size: IC-35 mm² OG- 10 mm², 16 mm² Torque: IC-4.5 Nm OG- 1.2 Nm	Distribution Block	DBD35 10x4	230.00 On Request
	End Plate	Not Required	- -
	Shorting Link	SSL35	90.00 -
	Marker	LabelKN12	12.00 (5 labels) -

Component Housing

KPCH 4* / KPCH 6*		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: 20A/32A Wire Size: 4/6 mm² Torque: 0.6/0.8 Nm	Terminal	KPCH4	84.00 92.40
		KPCH6	105.00 115.50
	End Plate	KPSD4	11.70 12.90
	Partition Plate	KBZF	25.50 28.10
	Marker	LabelKN5.5/8	9.50/11.00 -

KUDD4CC1 (Common Cathode 1)		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm	Terminal	KUDD4CC1	80.00 88.00
	End Plate	KPDD	12.20 13.40
	Partition Plate	-	- -
	Marker	LabelKN5.5	9.50 -

KUDD4CC2 (Common Cathode 2)		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm	Terminal	KUDD4CC2	80.00 88.00
	End Plate	KPDD	12.20 13.40
	Partition Plate	-	- -
	Marker	LabelKN5.5	9.50 -

KUDD4CA1 (Common Anode 1)		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm	Terminal	KUDD4CA1	80.00 88.00
	End Plate	KPDD	12.20 13.40
	Partition Plate	-	- -
	Marker	LabelKN5.5	9.50 -

KUDD4CA2 (Common Anode 2)		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm	Terminal	KUDD4CA2	80.00 88.00
	End Plate	KPDD	12.20 13.40
	Partition Plate	-	- -
	Marker	LabelKN5.5	9.50 -

KUDD4D1 (One Diode)		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm	Terminal	KUDD4D1	80.00 88.00
	End Plate	KPDD	12.20 13.40
	Partition Plate	-	- -
	Marker	LabelKN5.5	9.50 -

KUDD4R (One Resistor)		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm	Terminal	KUDD4R	80.00 88.00
	End Plate	KPDD	12.20 13.40
	Partition Plate	-	- -
	Marker	LabelKN5.5	9.50 -

KUDD4MOV (with MOV)		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 300 V Wire Size: 2.5 mm² Torque: 0.4 Nm	Terminal	KUDD4MOV	120.00 132.00
	End Plate	KPDD	12.20 13.40
	Partition Plate	-	- -
	Marker	LabelKN5.5	9.50 -

Micro Terminals (15mm Rail Mounted)

SUT4		Std. Colour	Non Std. Colour
 IEC 60947-7-1 Voltage: 500 V Current: 32 A Wire Size: 4 mm² Torque: 0.5 Nm	Terminal	SUT4	11.50 12.70
	End Plate	ES4	7.00 7.70
	Shorting Link	CCLADD	15.50 -
	Marker	LabelKN5.5	9.50 -

SET4 (Earthing)		Std. Colour	Non Std. Colour
 IEC 60947-7-2 Wire Size: 4 mm² Torque: 0.5 Nm	Terminal	SET4	60.00 -
	End Plate	Not Required	- -
	Shorting Link	Not Required	- -
	Marker	LabelKN5.5	9.50 -

Price List for DIN Rail Mounted Terminals : Polyamide 6.6



Micro Terminals (Panel Mounted)

PET4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	PET4	14.50	16.00
	Voltage: 500 V	End Plate	EPP	8.50	9.40
	Current: 32 A	Shorting Link	CCLADD	15.50	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	9.50	-
	Torque: 0.5 Nm				

PBTM4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	PBTM4	11.00	-
	Voltage: 250 V	End Plate	EPBM4	7.50	-
	Current: 20 A	Shorting Link	Not Required	-	-
	Wire Size: 1.5 mm ²	Marker	Not Required	-	-
	Torque: 1.2 Nm				

PBTM3				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	PBTM3	10.00	-
	Voltage: 250 V	End Plate	EPBM4	7.50	-
	Current: 20 A	Shorting Link	Not Required	-	-
	Wire Size: 1.5 mm ²	Marker	Not Required	-	-
	Torque: 0.5 Nm				

Spring Clamp Terminals - Feed Through (35mm Rail Mounted)

DST2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST2.5	12.50	13.80
	Voltage: 800 V	End Plate	DSEP2.5	6.70	8.50
	Current: 24 A	Shorting Link	SSL2.5	11.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5	11.00	-

DST6				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST6	42.00	46.20
	Voltage: 800 V	End Plate	DSEP6	9.50	12.00
	Current: 41 A	Shorting Link	SSL6	26.00	-
	Wire Size: 6 mm ²	Marker	LabelKN8	11.00	-

DST16				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST16	106.50	117.20
	Voltage: 800 V	End Plate	DSEP16	16.00	20.20
	Current: 76 A	Shorting Link	SSL16	67.00	-
	Wire Size: 16 mm ²	Marker	LabelKN12	12.00(5 labels)	-

DST2.5-1X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST2.5-1X2	30.00	33.00
	Voltage: 800 V	End Plate	DSMP2.5-1X2	8.00	8.80
	Current: 24 A	Shorting Link	SSL2.5	11.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5	11.00	-

DST4-1X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST4-1X2	On Request	On Request
	Voltage: 800 V	End Plate	DSMP4-1X2	9.90	10.90
	Current: 32 A	Shorting Link	SSL4	18.50	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	9.50	-

DST6-1X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST6-1X2	On Request	On Request
	Voltage: 800 V	End Plate	DSMP6-1X2	12.20	13.40
	Current: 41 A	Shorting Link	SSL6	26.00	-
	Wire Size: 6 mm ²	Marker	LabelKN8	11.00	-

DST4				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST4	21.50	23.70
	Voltage: 800 V	End Plate	DSEP4	8.00	10.10
	Current: 32 A	Shorting Link	SSL4	18.50	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	9.50	-

DST10				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST10	81.00	89.10
	Voltage: 800 V	End Plate	DSEP10	10.10	12.80
	Current: 57 A	Shorting Link	SSL10	42.00	-
	Wire Size: 10 mm ²	Marker	LabelKN10	12.00	-

DST35				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST35	360.00	396.00
	Voltage: 1000 V	End Plate	Not Required	-	-
	Current: 125 A	Shorting Link	SSL35	90.00	-
	Wire Size: 35 mm ²	Marker	LabelKN17	13.00(5 labels)	-

DST2.5-2X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST2.5-2X2	31.00	34.10
	Voltage: 1000 V	End Plate	DSMP2.5-2X2	8.50	9.40
	Current: 24 A	Shorting Link	SSL2.5	11.00	-
	Wire Size: 2.5 mm ²	Marker	LabelKN5	11.00	-

DST4-2X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST4-2X2	On Request	On Request
	Voltage: 800 V	End Plate	DSMP4-2X2	12.20	13.40
	Current: 32 A	Shorting Link	SSL4	18.50	-
	Wire Size: 4 mm ²	Marker	LabelKN5.5	9.50	-

DST10-1X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST10-1X2	On Request	On Request
	Voltage: 1000 V	End Plate	DSMP10-1X2	12.60	13.90
	Current: 57 A	Shorting Link	SSL10	42.00	-
	Wire Size: 10 mm ²	Marker	LabelKN10	12.00	-

All Shorting Link Prices are for 2 Way Shorting.

Price List for DIN Rail Mounted Terminals : Polyamide 6.6



Spring Clamp Terminals - Feed Through (35mm Rail Mounted)

DST16-1X2		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST16-1X2 On Request On Request
	Voltage: 1000 V	End Plate	DSMP16-1X2 13.80 15.20
	Current: 76 A	Shorting Link	SSL16 67.00 -
	Wire Size: 16 mm ²	Marker	LabelKN12 12.00 (5 labels) -
	CE		

DST2.5-2C1P		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST2.5-2C1P 80.00 88.00
	Voltage: 500 V	End Plate	DSMP2.5-2C1P 13.30 14.60
	Current: 16A	Shorting Link	SSL2.5 11.00 -
	Wire Size: 2.5 mm ²	Marker	LabelKN5 11.00 -
	CE		

DST2.5-2C2P		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DST2.5-2C2P 85.00 93.50
	Voltage: 500 V	End Plate	DSMP2.5-2C2P 16.00 17.60
	Current: 16 A	Shorting Link	SSL2.5 11.00 -
	Wire Size: 2.5 mm ²	Marker	LabelKN5 11.00 -
	CE		

DST2.5-2C1PP		Std. Colour	Non Std. Colour
	DST2.5C1PP - 1 Way	34.40	-
	Compatible with terminal blocks DST 2.5 - 2C1P & DST 2.5 - 2C2P		

SCT2.5 (Side Entry)		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	SCT2.5 12.50 13.80
	Voltage: 800 V	End Plate	SEP2.5 5.60 6.20
	Current: 24 A	Shorting Link	SSL2.5 11.00 -
	Wire Size: 2.5 mm ²	Marker	LabelKN5 11.00 -
	CE		

SCT4 (Side Entry)		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	SCT4 19.50 21.50
	Voltage: 800 V	End Plate	SEP4 6.20 6.80
	Current: 32 A	Shorting Link	SSL4 18.50 -
	Wire Size: 4 mm ²	Marker	LabelKN5.5 9.50 -
	CE		

SCT6 (Side Entry)		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	SCT6 51.00 56.10
	Voltage: 800 V	End Plate	SEP6 8.50 9.40
	Current: 41 A	Shorting Link	SSL6 26.00 -
	Wire Size: 6 mm ²	Marker	LabelKN8 11.00 -
	CE		

SCT10 (Side Entry)		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	SCT10 60.00 66.00
	Voltage: 800 V	End Plate	SEP10 9.60 10.60
	Current: 57 A	Shorting Link	SSL10 42.00 -
	Wire Size: 10 mm ²	Marker	LabelKN10 12.00 -
	CE		

Spring Clamp Terminals - Multi Level

DSDD2.5		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DSDD2.5 35.00 On Request
	Voltage: 800 V	End Plate	DPDD2.5 11.70 On Request
	Current: 24 A	Shorting Link	SSL4 18.50 -
	Wire Size: 2.5 mm ²	Marker	LabelKN5.5 9.50 -
	CE		

DS3L2.5		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DS3L2.5 112.00 On Request
	Voltage: 500 V	End Plate	DSEP3 31.80 On Request
	Current: 20 A	Shorting Link	SSL4 18.50 -
	Wire Size: 2.5 mm ²	Marker	LabelKN5.5 9.50 -
	CE		

DS8LP16 / P32		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DS8LP16 On Request On Request
	Voltage: 250 V		DS8LP32 On Request On Request
	Current: 10 A	End Plate	DSEP8 On Request On Request
	Wire Size: 1.5 mm ²	Marker	LabelKN8 11.00 -
	CE		

Spring Clamp Terminals - Fuse

DCF4		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DCF4 75.00 On Request
	Voltage: 800 V	End Plate	DFEP 13.30 On Request
	Current: 10 A	Shorting Link	SSL4 18.50 -
	Wire Size: 4 mm ²	Marker	LabelKN8 11.00 -
	CE		

DCF4D* / 4A** (With LED Indication)		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	DCF4D 101.00 On Request
	Voltage: 800 V		DCF4A 101.50 On Request
	Current: 10 A	End Plate	DFEP 13.30 On Request
	Wire Size: 4 mm ²	Shorting Link	SSL4 18.50 -
	CE	Marker	LabelKN8 11.00 -

SCF6		Std. Colour	Non Std. Colour
	IEC 60947-7-1	Terminal	SCF6 230.00 On Request
	Voltage: 800 V	End Plate	SFEP6 11.20 On Request
	Current: 10 A	Shorting Link	SSL6 26.00 -
	Wire Size: 6 mm ²	Marker	LabelKN12 12.00 (5 labels) -
	CE		

*D1 - 24 VDC, D2 - 48 VDC, D3 - 110 VDC, D4 - 220 VDC, D5 - 12 VDC / **A1 - 110 VAC, A2 - 220 VAC
All Shorting Link Prices are for 2 Way Shorting.

Price List for DIN Rail Mounted Terminals : Polyamide 6.6



Spring Clamp Terminals - Test Disconnect

DSDT2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 17.5 A Wire Size: 2.5 mm ²	Terminal	DSDT2.5	52.00	On Request
		End Plate	DPDT2.5	9.60	On Request
		Shorting Link	SSL2.5	11.00	-
		Marker	LabelKN5	11.00	-

DSDT2.5-2X2				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 17.5 A Wire Size: 2.5 mm ²	Terminal	DSDT2.5-2X2	55.00	On Request
		End Plate	DPMDT2.5	12.20	On Request
		Shorting Link	Not Required	-	-
		Marker	LabelKN5	11.00	-

Spring Clamp Distribution Blocks

DTB35-10				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 1C-35 mm ² OG - 10 mm ²	Terminal	DTB35-10	210.00	On Request
		End Plate	Not Required	-	-
		Shorting Link	SLC17.5	59.00	-
		Marker	LabelKN17	13.00 (5 labels)	-

DTB35-10X4				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 125 A Wire Size: 1C-35 mm ² OG - 10 mm ²	Terminal	DTB35-10X4	230.00	On Request
		End Plate	Not Required	-	-
		Shorting Link	SSL35	90.00	-
		Marker	LabelKN12	12.00 (5 labels)	-

Spring Clamp Terminals - Earthing Type

DSET2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-2 Wire Size: 2.5 mm ²	Terminal	DSET2.5	81.00	-
		End Plate	DSEP2.5(Gr)	8.50	-
		Shorting Link	Not Required	-	-
		Marker	LabelKN5	11.00	-

DSET4				Std. Colour	Non Std. Colour
	IEC 60947-7-2 Wire Size: 4 mm ²	Terminal	DSET4	82.00	-
		End Plate	DSEP4(Gr)	10.10	-
		Shorting Link	Not Required	-	-
		Marker	LabelKN5.5	9.50	-

Spring Clamp Terminals - Earthing Type

DSET6				Std. Colour	Non Std. Colour
	IEC 60947-7-2 Wire Size: 6 mm ²	Terminal	DSET6	160.00	-
		End Plate	DSEP6(Gr)	12.00	-
		Shorting Link	Not Required	-	-
		Marker	LabelKN8	11.00	-

DSET10				Std. Colour	Non Std. Colour
	IEC 60947-7-2 Wire Size: 10 mm ²	Terminal	DSET10	205.00	-
		End Plate	DSEP10(Gr)	12.80	-
		Shorting Link	Not Required	-	-
		Marker	LabelKN10	12.00	-

SCET4				Std. Colour	Non Std. Colour
	IEC 60947-7-2 Wire Size: 4 mm ²	Terminal	SCET4	85.00	-
		End Plate	SEP4(Gr)	6.80	-
		Shorting Link	SSL4	18.50	-
		Marker	LabelKN5.5	9.50	-

DSET2.5-1X2				Std. Colour	Non Std. Colour
	IEC 60947-7-2 Wire Size: 2.5 mm ²	Terminal	DSET2.5-1X2	120.00	-
		End Plate	DSMP2.5-1X2(Gr)	8.80	-
		Shorting Link	Not Required	-	-
		Marker	LabelKN5	11.00	-

DSET2.5-2X2				Std. Colour	Non Std. Colour
	IEC 60947-7-2 Wire Size: 2.5 mm ²	Terminal	DSET2.5-2X2	122.00	-
		End Plate	DSMP2.5-2X2(Gr)	9.40	-
		Shorting Link	Not Required	-	-
		Marker	LabelKN5	11.00	-

Spring Clamp Micro Terminals (15mm Rail Mounted)

MCT2.5MC				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm ²	Terminal	MCT2.5MC	20.00	On Request
		End Plate	MEP2.5MC	6.70	On Request
		Shorting Link	MSL2.5	16.50	-
		Marker	LabelKN5.5	9.50	-

SCT2.5MC				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm ²	Terminal	SCT2.5MC	17.10	On Request
		End Plate	SEP2.5	5.60	6.20
		Shorting Link	SSL2.5	11.00	-
		Marker	LabelKN5	11.00	-

All Shorting Link Prices are for 2 Way Shorting.

Price List for DIN Rail Mounted Terminals : Polyamide 6.6



Spring Clamp Micro Terminals - Panel Mounted

MCT1.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 500 V Current: 17.5 A Wire Size: 1.5 mm ²	Terminal	MCT1.5	8.00	On Request
		End Plate	MEP1.5	4.00	On Request
		Shorting Link	MSL1.5	16.00	-
		Marker	LabelKN10	12.00	-

MCT2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm ²	Terminal	MCT2.5	9.50	10.50
		End Plate	MEP2.5	4.40	4.80
		Shorting Link	MSL2.5	16.50	-
		Marker	LabelKN5.5	9.50	-

MCT2.5P4				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 500 V Current: 24 A Wire Size: 2.5 mm ²	Terminal	MCT2.5P4	17.50	On Request
		End Plate	MEP2.5	4.40	4.80
		Shorting Link	MSL2.5	16.50	-
		Marker	LabelKN10	12.00	-

MCT4				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 500 V Current: 32 A Wire Size: 4 mm ²	Terminal	MCT4	15.00	16.50
		End Plate	MEP4	8.00	8.80
		Shorting Link	MSL4	21.00	-
		Marker	LabelKN6.5	10.00	-

MCT4P4				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 500 V Current: 32 A Wire Size: 4 mm ²	Terminal	MCT4P4	27.50	On Request
		End Plate	MEP4	8.00	8.80
		Shorting Link	MSL4	21.00	-
		Marker	LabelKN12	12.00(5 labels)	-

Spring Clamp Terminal (Din Rail Mounted)

DMCT2.5P4				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 24 A Wire Size: 2.5 mm ²	Terminal	DMCT2.5P4	26.00	-
		End Plate	DMEP2.5P4	10.60	-
		Shorting Link	MSL2.5	16.50	-
		Marker	LabelKN10	12.00	-

Plug & Socket Terminals

DPSC5.08 (Wire to Wire)				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 250 V Current: 16 A Wire Size: 2.5 mm ²	Terminal	DPSC5.08WW(2Way)	100.00	-
			DPSC5.08WW(3Way)	150.00	-
			DPSC5.08WW(4Way)	200.00	-
			DPSC5.08WW(5Way)	250.00	-
			DPSC5.08WW(6Way)	300.00	-
			DPSC5.08WW(8Way)	400.00	-

DPSC5.08 (Panel Mounted)				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 250 V Current: 16 A Wire Size: 2.5 mm ²	Terminal	DPSC5.08PM(2Way)	110.00	-
			DPSC5.08PM(3Way)	165.00	-
			DPSC5.08PM(4Way)	220.00	-
			DPSC5.08PM(5Way)	275.00	-
			DPSC5.08PM(6Way)	330.00	-
			DPSC5.08PM(8Way)	440.00	-

Lighting Pole Terminals

LPT225				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 400 V Current: 101 A Wire Size: 4-25 mm ²	Terminal	LPT225	82.00	90.20
		End Plate	Not Required	-	-
		Shorting Link	Not Required	-	-
		Marker	LabelKN10	12.00	-

LPT235				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 400 V Current: 125 A Wire Size: 6-35 mm ²	Terminal	LPT235	205.00	225.50
		End Plate	Not Required	-	-
		Shorting Link	Not Required	-	-
		Marker	LabelKN12	12.00(5 labels)	-

LPT325				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 400 V Current: 101 A Wire Size: 4-25 mm ²	Terminal	LPT325	126.00	138.60
		End Plate	Not Required	-	-
		Shorting Link	Not Required	-	-
		Marker	LabelKN10	12.00	-

LPT335				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 400 V Current: 125 A Wire Size: 6-35 mm ²	Terminal	LPT335	285.00	313.50
		End Plate	Not Required	-	-
		Shorting Link	Not Required	-	-
		Marker	LabelKN12	12.00(5 labels)	-

Neutral Links

KNL4		Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 6 mm² Torque: 0.8 Nm	Terminal	KNL4 15.50
	Bus-Bar (6 mm x 6 mm)	KNLB6 1200.00
	Bus-Bar (10 mm x 3 mm)	KNLB10 1150.00
	End Support (Panel Mounted)	KNLSUP 16.00
	End Support (Rail Mounted)	SCNL 28.00
	Marker	LabelKN6.5 10.00

KNL35		Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 35 mm² Torque: 3 Nm	Terminal	KNL35 36.50
	Bus-Bar (6 mm x 6 mm)	KNLB6 1200.00
	Bus-Bar (10 mm x 3 mm)	KNLB10 1150.00
	End Support (Panel Mounted)	KNLSUP 16.00
	End Support (Rail Mounted)	SCNL 28.00
	Marker	LabelKN10 12.00

KNL16		Std. Colour
 IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm² Torque: 2 Nm	Terminal	KNL16 20.50
	Bus-Bar (6 mm x 6 mm)	KNLB6 1200.00
	Bus-Bar (10 mm x 3 mm)	KNLB10 1150.00
	End Support (Panel Mounted)	KNLSUP 16.00
	End Support (Rail Mounted)	SCNL 28.00
	Marker	LabelKN8 11.00

Price List for DIN Rail Mounted Terminals : Melamine

Feed Through Terminals

CST2.5				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 4 mm ² Torque: 0.5 Nm	Terminal	CST2.5	17.00	18.70
		End Plate	EPX	8.00	8.80
		Shorting Link	CCLA2.5	18.00	-
		Marker	LabelKN6.5	10.00	-

CST6				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 6 mm ² Torque: 0.8 Nm	Terminal	CST6	20.00	22.00
		End Plate	EPX	8.00	8.80
		Shorting Link	CCLA6	18.00	-
		Marker	LabelKN8	11.00	-

CST10				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 25 mm ² Torque: 1.2 Nm	Terminal	CST10	27.00	29.70
		End Plate	EPX	8.00	8.80
		Shorting Link	CCLA10	19.50	-
		Marker	LabelKN10	12.00	-

CST16				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm ² Torque: 1.2 Nm	Terminal	CST16	44.00	48.40
		End Plate	EPY	15.40	16.90
		Shorting Link	CCLA16	23.00	-
		Marker	LabelKN10	12.00	-

CST25				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 101 A Wire Size: 25 mm ² Torque: 1.2 Nm	Terminal	CST25	60.00	66.00
		End Plate	EPT	16.00	17.60
		Shorting Link	CCLA25	25.50	-
		Marker	LabelKN12	12.00 (5 labels)	-

CST35				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 35 mm ² Torque: 4 Nm	Terminal	CST35	110.00	121.00
		End Plate	EPZ	17.10	18.80
		Shorting Link	CCLA35	30.50	-
		Marker	LabelKN17	13.00 (5 labels)	-

Spring Loaded Terminals

CSLT1				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	CSLT1	62.00	68.20
		End Plate	EPSL	13.80	15.20
		Shorting Link	CCLA1L	27.00	-
		Marker	LabelKN10	12.00	-

Stud Type Terminals (Screw Driver Operated)

CATM3*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 32 A Wire Size: 4 mm ² Torque: 0.5 Nm	Terminal	CATM3	42.00	46.20
		End Plate	EPS4	10.60	11.70
		Shorting Link	ASL1	29.00	-
		Marker	LabelKN6.5	10.00	-

CATM4*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	CATM4	48.00	52.80
		End Plate	EPS4	10.60	11.70
		Shorting Link	ADSL	27.00	-
		Marker	LabelKN8	11.00	-

CATM5*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm ² Torque: 2 Nm	Terminal	CATM5	60.00	66.00
		End Plate	EPS4	10.60	11.70
		Shorting Link	ADSL	27.00	-
		Marker	LabelKN8	11.00	-

* Suitable for 1100V AC applications.
All Shorting Link Prices are for 2 Way Shorting.


Price List for DIN Rail Mounted Terminals : Melamine



Stud Type Terminals (Nut Driver Operated)

CBTM4*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	CBTM4	47.00	51.70
		End Plate	EPS4	10.60	11.70
		Shorting Link	KSL5	28.00	-
		Marker	LabelKN6.5	10.00	-

CBTM6*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 25 mm ² Torque: 2.5 Nm	Terminal	CBTM6	85.00	93.50
		End Plate	EPS4	10.60	11.70
		Shorting Link	BSL6	30.00	-
		Marker	LabelKN8	11.00	-


CBTM5*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 76 A Wire Size: 16 mm ² Torque: 2 Nm	Terminal	CBTM5	63.00	69.30
		End Plate	EPS4	10.60	11.70
		Shorting Link	KSL5	28.00	-
		Marker	LabelKN6.5	10.00	-

CBTM6S1*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 35 mm ² Torque: 2.5 Nm	Terminal	CBTM6S1	125.00	137.50
		End Plate	EPS5/6	15.40	16.90
		Shorting Link	Not Available	-	-
		Marker	LabelKN8	11.00	-


Stud Type Terminals (Screw & Nut Driver Operated)

CABTM4*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1100 V Current: 57 A Wire Size: 10 mm ² Torque: 1.2 Nm	Terminal	CABTM4	48.00	52.80
		End Plate	EPS4	10.60	11.70
		Shorting Link	ADSL	27.00	-
		Marker	LabelKN8	11.00	-

Plug & Socket Terminal

PSC1/5				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 600 V Current: 25 A Per Contact Wire Size: 2.5 mm ² Torque: 0.5 Nm	Terminal	PSC1/5	400.00	440.00
		End Plate	Not Required	-	-
		Shorting Link	Not Available	-	-
		Marker	Not Required	-	-

Test - Disconnect Terminals

CATDM4*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 41 A Wire Size: 6 mm ² Torque: 1.2 Nm	Terminal	CATDM4	90.00	99.00
		End Plate	EPD4	17.10	18.80
		Shorting Link	ADSL	27.00	-
		Marker	LabelKN5.5	9.50	-

CLTDM4*				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1100 V Current: 45 A Wire Size: 6 mm ² Torque: 1.2 Nm	Terminal	CLTDM4	85.00	93.50
		End Plate	EPLD4	17.10	18.80
		Shorting Link	ADSL	27.00	-
		Marker	LabelKN5.5	9.50	-


Power Terminals

CBT100				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 800 V Current: 125 A Wire Size: 35 mm ² Torque: 2.5 Nm	Terminal	CBT100	115.00	126.50
		End Plate	EPS5/6	15.40	16.90
		Shorting Link	Not Available	-	-
		Marker	LabelKN8	11.00	-

CBT110				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 150 A Wire Size: 30-35 mm ² Torque: 3 Nm	Terminal	CBT110	200.00	220.00
		Barrier Plate	BPA110	40.50	44.50
		Shorting Link	Not Available	-	-
		Marker	LabelKN10	12.00	-

CBT170				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 192 A Wire Size: 50-70 mm ² Torque: 6 Nm	Terminal	CBT170	325.00	357.50
		Barrier Plate	BPA17/25	44.60	49.10
		Shorting Link	Not Available	-	-
		Marker	LabelKN10	12.00	-

CBT250				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 250 A Wire Size: 70-95 mm ² Torque: 10 Nm	Terminal	CBT250	385.00	423.50
		Barrier Plate	BPA17/25	44.60	49.10
		Shorting Link	Not Available	-	-
		Marker	LabelKN10	12.00	-

CBT300				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 300A Wire Size: 70-120 mm ² Torque: 10 Nm	Terminal	CBT300	450.00	495.00
		Barrier Plate	BPA17/25	44.60	49.10
		Shorting Link	Not Available	-	-
		Marker	LabelKN10	12.00	-

* Suitable for 1100V AC applications.
All Shorting Link Prices are for 2 Way Shorting.

Price List for DIN Rail Mounted Terminals : Melamine

Power Terminals (With Tapped Current Bar)

CBT110T				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 150 A Wire Size: 35-50 mm ² Torque: 3 Nm	Terminal	CBT110T	210.00	231.00
		Barrier Plate	BPA110	40.50	44.50
		Shorting Link	Not Available	-	-
		Marker	LabelKN10	12.00	-

CBT250T				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 250 A Wire Size: 70-95 mm ² Torque: 10 Nm	Terminal	CBT250T	400.00	440.00
		Barrier Plate	BPA17/25	44.60	49.10
		Shorting Link	Not Available	-	-
		Marker	LabelKN10	12.00	-

CBT170T				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 192 A Wire Size: 50-70 mm ² Torque: 6 Nm	Terminal	CBT170T	335.00	368.50
		Barrier Plate	BPA17/25	44.60	49.10
		Shorting Link	Not Available	-	-
		Marker	LabelKN10	12.00	-

CBT300T				Std. Colour	Non Std. Colour
	IEC 60947-7-1 Voltage: 1000 V Current: 300 A Wire Size: 70-120 mm ² Torque: 10 Nm	Terminal	CBT300T	530.00	583.00
		Barrier Plate	BPA17/25	44.60	49.10
		Shorting Link	Not Available	-	-
		Marker	LabelKN10	12.00	-

Price List for Terminals: Polyamide 6.6

PRICE LIST FOR TERMINALS : POLYAMIDE 6.6

Suitable For Terminal Type	Supplied From.	Std. Packing in Nos.	Rate in Rs. (Per Each)	Non-Std. Colour
Suitable For Feed Through Terminals				
KUT2.5	Elmex Electric	100	10.20	11.20
KUT4	Elmex Electric	100	12.90	14.20
KUT6	Elmex Electric	100	17.80	19.60
KUT10	Elmex Electric	100	22.60	24.90
KUT16	Elmex Electric	100	39.50	43.50
KUT25	Elmex Electric	100	64.00	70.40
KUT35	Elmex Electric	50	91.00	100.10
KUT50	Elmex Electric	10	265.00	291.50
KUT50/70	Elmex Electric	10	265.00	291.50
KUT95	Elmex Electric	10	425.00	467.50
KUT4-1X2	Elmex Electric	100	29.00	31.90
KUT4-2X2	Elmex Electric	100	40.00	44.00
Suitable For Earth Terminals				
ET4	Elmex Electric	100	86.00	-
ET6	Elmex Electric	50	100.00	-
ET10	Elmex Electric	50	127.00	-
ET16	Elmex Electric	50	140.00	-
ET35	Elmex Electric	20	305.00	-
ET50	Elmex Electric	20	730.00	-
Suitable For Double Deck Terminals				
KU2D4	Elmex Electric	100	32.50	35.80
KU2D4S	Elmex Electric	100	45.00	49.50
KUDD4	Elmex Electric	100	36.50	40.20
Suitable For Spring Loaded Terminals				
KULT4	Elmex Electric	100	37.50	41.30
KULT6	Elmex Electric	100	40.00	44.00
KULT1	Elmex Electric	100	52.00	57.20
Suitable For Thermocouple Terminals				
KUT4NTCK	Elmex Electric	50	94.00	103.40
KUT4NTCJ	Elmex Electric	50	127.00	139.70
KUT4NTCT	Elmex Electric	50	127.00	139.70
KUT4NTCE	Elmex Electric	50	127.00	139.70
Suitable For Triple Deck Terminals				
DU3D4	Elmex Electric	100	88.00	96.80
DUSD4	Elmex Electric	100	55.00	60.50
Suitable For Photovoltaic Terminals				
KUT2.5N	Elmex Electric	100	12.30	13.50
KUT4N	Elmex Electric	100	15.00	16.50
KUT6N	Elmex Electric	100	19.50	21.50
KUT10N	Elmex Electric	100	26.00	28.60
KUDD4N	Elmex Electric	100	45.00	49.50
Suitable For Earth Terminals (N - Series)				
ETN4	Elmex Electric	100	88.00	-
ETN6	Elmex Electric	100	102.00	-
ETN10	Elmex Electric	100	120.00	-
ETDD4N	Elmex Electric	100	150.00	-
Suitable For Stud Type Terminals				
KATM3	Elmex Electric	100	40.00	44.00
KATM3C	Elmex Electric	50	50.00	55.00
KATM4	Elmex Electric	50	50.00	55.00
KATM4C	Elmex Electric	50	58.00	63.80
KATM5	Elmex Electric	50	60.00	66.00
KATM5C	Elmex Electric	50	65.00	71.50
KABTM3L	Elmex Electric	50	35.00	38.50
KABTM4	Elmex Electric	50	46.00	50.60
KABTM5	Elmex Electric	50	51.00	56.10
KABTM4C	Elmex Electric	50	51.50	56.70
KABTM5C	Elmex Electric	50	60.00	66.00
KATM3E	Elmex Electric	50	27.00	29.70
KATM4E	Elmex Electric	50	31.00	34.10
KBTM4	Elmex Electric	50	47.00	51.70
KBTM4C	Elmex Electric	50	56.00	61.60
KBTM5-15	Elmex Electric	50	51.00	56.10
KBTM5-15C	Elmex Electric	50	65.00	71.50
KBTM6	Elmex Electric	50	73.00	80.30
KBTM6C	Elmex Electric	50	87.00	95.70
KBTM4E	Elmex Electric	50	35.00	38.50
KBTM5E	Elmex Electric	50	40.00	44.00
KBTM6E	Elmex Electric	50	62.00	68.20
OAT2.5	Elmex Electric	50	45.00	49.50
OAT6	Elmex Electric	50	54.00	59.40

Price List for Terminals: Polyamide 6.6



PRICE LIST FOR TERMINALS : POLYAMIDE 6.6

Suitable For Terminal Type	Supplied From.	Std. Packing in Nos.	Rate in Rs. (Per Each)	Non-Std. Colour
OAT25	Elmex Electric	50	129.00	141.90
Suitable For Fuse Terminals				
KUDF4NV	Elmex Electric	100	45.00	49.50
KUDF4AD	Elmex Electric	100	67.00	73.70
KUFH4	Elmex Electric	100	93.00	102.30
KUFH4D	Elmex Electric	100	120.00	132.00
KUFH4A	Elmex Electric	100	121.00	133.10
KUF10	Elmex Electric	100	125.00	137.50
KUF10D	Elmex Electric	100	143.00	157.30
KUF10A	Elmex Electric	100	148.00	162.80
Suitable For Fuse Feed Through Terminals				
KUDDF4	Elmex Electric	100	106.00	116.60
KUDDF4AD	Elmex Electric	100	122.00	134.20
Suitable For Plug and Socket				
PS8M - 2 Way	Elmex Electric	20	108.00	118.80
PS8M - 3 Way	Elmex Electric	20	162.00	178.20
PS8M - 4 Way	Elmex Electric	20	216.00	237.60
PS8M - 5 Way	Elmex Electric	20	270.00	297.00
PS8M - 6 Way	Elmex Electric	20	324.00	356.40
PS8M - 7Way	Elmex Electric	20	378.00	415.80
PS8M - 8 Way	Elmex Electric	20	432.00	475.20
PS8M - 10 Way	Elmex Electric	20	540.00	594.00
Suitable For Disconnecting Terminals (Sliding Link Type)				
KLTD4NV	Elmex Electric	50	65.00	71.50
KLTD4-2W	Elmex Electric	25	173.00	190.30
KUTSD6	Elmex Electric	50	70.00	77.00
KUTD10	Elmex Electric	50	102.00	112.20
KULTD6	Elmex Electric	50	130.00	143.00
OAT6T	Elmex Electric	50	78.00	85.80
OAT6DTS	Elmex Electric	40	90.00	99.00
OAT6DTS - 2Way	Elmex Electric	20	187.00	205.70
OAT10DTS	Elmex Electric	50	120.00	132.00
Suitable For Disconnecting Terminals (Knife Edge Type)				
KULTD4	Elmex Electric	100	43.50	47.90
KULTD4WS	Elmex Electric	100	100.00	110.00
KULTD4TS	Elmex Electric	100	85.00	93.50
KUDT4-2X2	Elmex Electric	100	85.00	93.50
KUDT6	Elmex Electric	100	77.00	84.70
Suitable For Power Terminals				
PAT30	Elmex Electric	100	32.00	35.20
PAT100	Elmex Electric	25	129.00	141.90
PAT150	Elmex Electric	10	204.00	224.40
PAT250	Elmex Electric	10	310.00	341.00
KBT100	Elmex Electric	25	75.00	82.50
DPBB50	Elmex Electric	10	163.00	179.30
DPBB50CN	Elmex Electric	10	171.00	188.10
DPBB70	Elmex Electric	10	225.00	247.50
DPBB70CN	Elmex Electric	10	235.00	258.50
DPBB120	Elmex Electric	10	345.00	379.50
DPBB120CN	Elmex Electric	10	357.00	392.70
DPBB185N	Elmex Electric	10	750.00	825.00
DPBB240	Elmex Electric	10	860.00	946.00
SPT35	Elmex Electric	10	260.00	286.00
SPT70	Elmex Electric	10	395.00	434.50
SPT95	Elmex Electric	10	420.00	462.00
SPT120	Elmex Electric	10	620.00	682.00
SPT150	Elmex Electric	10	640.00	704.00
SPT185	Elmex Electric	10	1000.00	1100.00
SPT240	Elmex Electric	10	1060.00	1166.00
SPT300	Elmex Electric	10	1300.00	1430.00
Suitable For Distribution Blocks				
FDBK-1X2	Elmex Electric	10	171.00	188.10
FDBK-1X4	Elmex Electric	10	201.00	221.10
FDBK-1X8	Elmex Electric	10	311.00	342.10
FDBK3	Elmex Electric	10	76.50	84.20
FDBK4	Elmex Electric	10	101.50	111.70
FDBK8	Elmex Electric	10	203.00	223.30
DBK-1X2	Elmex Electric	10	209.00	229.90
DBK-1X4	Elmex Electric	10	280.00	308.00

Price List for Terminals: Polyamide 6.6



PRICE LIST FOR TERMINALS : POLYAMIDE 6.6

Suitable For Terminal Type	Supplied From.	Std. Packing in Nos.	Rate in Rs. (Per Each)	Non-Std. Colour
DBK-1X8	Elmex Electric	10	396.00	435.60
DFBK12	Elmex Electric	10	310.00	341.00
DBK3	Elmex Electric	10	99.00	108.90
DBK4	Elmex Electric	10	132.00	145.20
DBK5	Elmex Electric	10	198.00	217.80
DBK8	Elmex Electric	10	264.00	290.40
DBK150/16-1X2	Elmex Electric	10	760.00	836.00
DBK150/16-1X4	Elmex Electric	10	860.00	946.00
DBK150/16-1X8	Elmex Electric	10	1060.00	1166.00
DBK150/25-1X2	Elmex Electric	10	850.00	935.00
DBK150/25-1X4	Elmex Electric	10	980.00	1078.00
DBK150/25-1X8	Elmex Electric	10	1240.00	1364.00
DBK150/M6C-1X2	Elmex Electric	10	1040.00	1144.00
DBK150/M6C-1X4	Elmex Electric	10	1180.00	1298.00
DBK150/M6C-1X8	Elmex Electric	10	1460.00	1606.00
DBD16	Elmex Electric	10	350.00	385.00
DBD35	Elmex Electric	10	500.00	550.00
Suitable For Component Housings				
KPCH4*	Elmex Electric	100	84.00	92.40
KPCH6*	Elmex Electric	100	105.00	115.50
KUDD4CC1	Elmex Electric	100	80.00	88.00
KUDD4CC2	Elmex Electric	100	80.00	88.00
KUDD4CA1	Elmex Electric	100	80.00	88.00
KUDD4CA2	Elmex Electric	100	80.00	88.00
KUDD4D1	Elmex Electric	100	80.00	88.00
KUDD4R	Elmex Electric	50	80.00	88.00
KUDD4MOV	Elmex Electric	50	120.00	132.00
Suitable For Micro Terminals				
SUT4	Elmex Electric	100	11.50	12.70
SET4	Elmex Electric	100	60.00	-
PET4	Elmex Electric	100	14.50	16.00
PBTM3	Elmex Electric	100	10.00	-
PBTM4	Elmex Electric	100	11.00	-
Suitable For Spring Clamp Terminals				
DST2.5	Elmex Electric	100	12.50	13.80
DST4	Elmex Electric	100	21.50	23.70
DST6	Elmex Electric	50	42.00	46.20
DST10	Elmex Electric	20	81.00	89.10
DST16	Elmex Electric	100	106.50	117.20
DST35	Elmex Electric	100	360.00	396.00
DST2.5-1X2	Elmex Electric	100	30.00	33.00
DST2.5-2X2	Elmex Electric	100	31.00	34.10
DST4-1X2	Elmex Electric	100	On Request	On Request
DST4-2X2	Elmex Electric	100	On Request	On Request
DST6-1X2	Elmex Electric	100	On Request	On Request
DST10-1X2	Elmex Electric	100	On Request	On Request
DST16-1X2	Elmex Electric	100	On Request	On Request
DST2.5-2C1P	Elmex Electric	100	80.00	88.00
DST2.5-2C2P	Elmex Electric	100	85.00	93.45
DST2.5C1PP - 1 Way	Elmex Electric	50	34.40	-
SCT2.5	Elmex Electric	20	12.50	13.80
SCT4	Elmex Electric	100	19.50	21.50
SCT6	Elmex Electric	100	51.00	56.10
SCT10	Elmex Electric	100	60.00	66.00
DSDD2.5	Elmex Electric	100	35.00	On Request
DS3L2.5	Elmex Electric	100	112.00	On Request
DS8LP16	Elmex Electric	100	On Request	-
DS8LP32	Elmex Electric	100	On Request	-
DCF4	Elmex Electric	100	75.00	On Request
DCF4D	Elmex Electric	50	101.00	On Request
DCF4A	Elmex Electric	50	101.50	On Request
SCF6	Elmex Electric	50	230.00	On Request
DSDT2.5	Elmex Electric	100	52.00	On Request
DSDT2.5-2X2	Elmex Electric	100	55.00	On Request
DTB35-10	Elmex Electric	100	210.00	On Request
DTB35-10X4	Elmex Electric	100	230.00	On Request
DSET2.5	Elmex Electric	10	81.00	-
DSET4	Elmex Electric	10	82.00	-
DSET6	Elmex Electric	100	160.00	-
DSET10	Elmex Electric	100	205.00	-

Price List for Terminals: Polyamide 6.6, Melamine, Neutral Links, PCB Connectors



PRICE LIST FOR TERMINALS : POLYAMIDE 6.6, MELAMINE, NEUTRAL LINKS, PCB CONNECTORS

Suitable For Terminal Type	Supplied From.	Std. Packing in Nos.	Rate in Rs. (Per Each)	Non-Std. Colour
DSET2.5-1X2	Elmex Electric	100	120.00	-
DSET2.5-2X2	Elmex Electric	100	122.00	-
MCT2.5MC	Elmex Electric	100	20.00	On Request
SCT2.5MC	Elmex Electric	100	17.10	On Request
MCT1.5	Elmex Electric	100	8.00	On Request
MCT2.5	Elmex Electric	100	9.50	10.50
MCT2.5P4	Elmex Electric	100	17.50	On Request
MCT4	Elmex Electric	100	15.00	16.50
MCT4P4	Elmex Electric	100	27.50	On Request
DMCT2.5P4	Elmex Electric	100	26.00	-
DPSC5.08WW (2 Way)	Elmex Electric	100	100.00	-
DPSC5.08WW (3 Way)	Elmex Electric	100	150.00	-
DPSC5.08WW (4 Way)	Elmex Electric	20	200.00	-
DPSC5.08WW (5 Way)	Elmex Electric	20	250.00	-
DPSC5.08WW (6 Way)	Elmex Electric	20	300.00	-
DPSC5.08WW (8 Way)	Elmex Electric	20	400.00	-
DPSC5.08PM (2 Way)	Elmex Electric	20	110.00	-
DPSC5.08PM (3 Way)	Elmex Electric	20	165.00	-
DPSC5.08PM (4 Way)	Elmex Electric	20	220.00	-
DPSC5.08PM (5 Way)	Elmex Electric	20	275.00	-
DPSC5.08PM (6 Way)	Elmex Electric	20	330.00	-
DPSC5.08PM (8 Way)	Elmex Electric	20	440.00	-
Suitable For Lighting Pole Terminals				
LPT225	Elmex Electric	20	82.00	90.20
LPT235	Elmex Electric	20	205.00	225.50
LPT325	Elmex Electric	20	126.00	138.60
LPT335	Elmex Electric	20	285.00	313.50
Suitable For Neutral Links				
KNL4	Elmex Electric	50	15.50	-
KNL16	Elmex Electric	50	20.50	-
KNL35	Elmex Electric	50	36.50	-
Suitable For Feed Through Terminals (Melamine)				
CST2.5	Elmex Controls	100	17.00	18.70
CST6	Elmex Controls	100	20.00	22.00
CST10	Elmex Controls	100	27.00	29.70
CST16	Elmex Controls	100	44.00	48.40
CST25	Elmex Controls	100	60.00	66.00
CST35	Elmex Controls	50	110.00	121.00
Suitable For Spring Loaded Terminals				
CSLT1	Elmex Controls	100	62.00	68.20
Suitable For Stud Type Terminals				
CATM3	Elmex Controls	50	42.00	46.20
CATM4	Elmex Controls	50	48.00	52.80
CATM5	Elmex Controls	50	60.00	66.00
CBTM4	Elmex Controls	50	47.00	51.70
CBTM5	Elmex Controls	50	63.00	69.30
CBTM6	Elmex Controls	50	85.00	93.50
CBTM6S1	Elmex Controls	50	125.00	137.50
CABTM4	Elmex Controls	50	48.00	52.80
Suitable For Plug and Socket				
PSC1/5	Elmex Controls	20	400.00	440.00
Suitable For Test - Disconnect Terminals				
CATDM4	Elmex Controls	50	90.00	99.00
CLTDM4	Elmex Controls	50	85.00	93.50
Suitable Power Terminals				
CBT100	Elmex Controls	10	115.00	126.50
CBT110	Elmex Controls	10	200.00	220.00
CBT170	Elmex Controls	10	325.00	357.50
CBT250	Elmex Controls	10	385.00	423.50
CBT300	Elmex Controls	10	450.00	495.00
CBT110T	Elmex Controls	10	210.00	231.00
CBT170T	Elmex Controls	10	335.00	368.50
CBT250T	Elmex Controls	10	400.00	440.00
CBT300T	Elmex Controls	10	530.00	583.00

Price List for Accessories



MOUNTING CHANNELS

Description	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each) For Hexavalent Plating	Rate in Rs. (Per Each) For Trivalent Plating
Mounting Rails with Zinc Plating					
32mm Rails for Melamine Terminals, K-Series Terminals and C- Series Terminals					
300mm Length	Elmex Controls	CHS3	-	65.00	74.00
500mm Length	Elmex Controls	CHS5	-	110.00	123.00
1000mm Length (1 Meter)	Elmex Controls	CHS10	-	200.00	223.00
1000mm Length (1 Meter)	Elmex Controls	CHSS10	-	230.00	235.00
2000mm Length (2 Meter)	Elmex Controls	CHS20	-	420.00	465.00
35mm Rails (7.5mm Depth) for K-Series Terminals					
300mm Length	Elmex Electric	CHK3	-	40.00	45.00
500mm Length	Elmex Electric	CHK5	-	60.00	71.00
1000mm Length (1 Meter)	Elmex Electric	CHK10	-	115.00	120.00
35mm Rails Perforated Rail (7.5mm Depth) 1000mm Length	Elmex Electric	CHKS10	-	135.00	148.00
35mm Rails (15mm Depth)					
35mm Rails (15mm Depth) for K-Series Terminals 1000mm Length	Elmex Electric	CHKD10	-	210.00	218.00
35mm Rails Perforated Rail (15mm Depth) 1000mm Length	Elmex Electric	CHKDS10	-	232.00	241.00
15mm Rails For Micro Terminals					
500mm Length	Elmex Electric	CHM5	-	55.00	62.00
1000m Length (1 Meter)	Elmex Electric	CHM10	-	100.00	107.00
SIDE CLAMPS					
End Clamps suitable for 32mm Rail	Elmex Controls	SCS (METALLIC)	200	8.00	-
End Clamps suitable for 32mm Rail	Elmex Controls	SCSN (MELAMINE)	200	11.00	-
End Clamps suitable for 15mm Rail	Elmex Electric	SCMN (POLYAMIDE 6.6)	100	8.50	-
End Clamps suitable for 35mm Rail	Elmex Electric	SCKN (POLYAMIDE 6.6)	100	10.00	-
End Clamps suitable for 35mm Rail with Marking Label Holder	Elmex Electric	SCKNMLH (POLYAMIDE 6.6)	100	17.50	-
End Clamps suitable for 32mm and 35mm Rail	Elmex Electric	SCUN (POLYAMIDE 6.6)	100	13.00	-
End Clamps suitable for 32mm and 35mm Rail with Marking Label Holder	Elmex Electric	SCUNMLH (POLYAMIDE 6.6)	100	21.00	-
End Clamps suitable for 32mm and 35mm Rail	Elmex Electric	SCUDD (POLYAMIDE 6.6)	100	27.50	-
End Clamps suitable for 35mm Rail	Elmex Electric	SCEC35 (POLYAMIDE 6.6)	100	14.50	-
End Clamps suitable for 35mm Rail	Elmex Electric	SCUP (POLYAMIDE 6.6)	100	13.50	-
End Clamps suitable for 32mm and 35mm Rail (Screwless)	Elmex Electric	SCUSL (POLYAMIDE 6.6)	100	30.00	-
End Clamps suitable for 35mm Rail (Screwless)	Elmex Electric	DCKN (POLYAMIDE 6.6)	100	12.00	-
End Clamps suitable for 35mm Rail (Screwless)	Elmex Electric	DCKN10(POLYAMIDE 6.6)	100	14.50	-
Marking Label Holder for DCKN	Elmex Electric	MLH for DCKN	100	11.00	-
Screwless End Clamps suitable for 35mm Rail with Marking Label Holder (Screwless)	Elmex Electric	DCKNMLH (POLYAMIDE 6.6)	100	23.00	-

Price List for Accessories



MARKING LABELS Snap-On Type Marking Label Strips (1 Strip = 10 Nos.)	Label Type	Supplied From	Std. Packing in Nos.	Rate in Rs. (Per Strip of 10 labels) For Blank	Rate in Rs. (Per Strip of 10 labels) *For Printed.
For Terminal Type					
DST2.5, SCT2.5, DST2.5-1X2, DST2.5-2X2, DSDT2.5-2X2, SCT2.5MC, DST2.5-2C1P, DST2.5-2C2P, DSET2.5, DSET2.5-1X2, DSET2.5-2X2	LABEL KN5	Elmex Electric	100	10.00	11.00
KUT2.5, KULT4, ET4, KUT4NTCK, KUT4NTCJ, KUT4NTCT, KUT4NTCE, KU2D4, KU2D4S, KUDD4, DU3D4, KLTD4, KULTD4, KULTD4WS, KULTD4TS, DBK2.5, SUT4, DST4, SCT4, SCET4, DSET4, MCT2.5, DSDD2.5, KUT4-1X2, KUT4-2X2, KPCH4, ETDD4N, KUDT4-2X2, MCT2.5, MCT2.5P4, MCT2.5MC, DS3L 2.5, DST4-1X2, DST4-2X2, CST35, CATDM4, CLTDM4	LABEL KN5.5	EC/EE	100	8.50	9.50
KUT4, KATM3, KATM4, KATM5, KBTM4, KABTM4, KBTM5-15, KBTM6, KBT100, MCT4, KNL4, OAT2.5, PS8M, FDBK3, FDBK4, FDBK8, FDBK-1X2, FDBK-1X2, FDBK-1X4, KATM3E, KATM4E, KBTM4E, KBTM5E, KATM3C, KABTM3L, KABTM5, CST2.5, CST6, CATM3, CBTM5	LABEL KN6.5	EC/EE	100	9.00	10.00
KUT6, KULT6, KUDF4, KUDF4AD, KUDDF4, KUDDF4AD, DS8LP16/32, KUTSD6, KUTD10, KULTD6, ET6, DST6, DCF4, DSET6, KNL16, PAT30, PAT100, PAT150, PAT250, KUDT6, SCT6, DST6-1X2, CBTM6, CBTM6S1, CBT100, CABTM4	LABEL KN8	EC/EE	100	10.00	11.00
OAT6, OAT6T, KUFH4, KUFH4A, KUFH4D, OAT6DTS, OAT6DTS-2W	LABEL KN9	Elmex Electric	100	10.00	11.00
KUT10, KULT1, DPBB50/50CN, DPBB70/70CN, DPBB120/120CN, DPBB185N, DPBB240, DFBK12, DBK3, DBK4, DBK5, DBK8, DBK-1X2, DBK-1X4, DBK-1X8, DST10, LPT225, LPT325, DSET10, MCT2.5P4, DMCT2.5P4, KATM4C, KATM5C, KBTM4C, KABTM4C, KABTM5C, DST10-1X2, CST10, CST16, CSLT1, CBT110, CBT170, CBT250, CBT300, CBT110T, CBT170T, CBT250T, CBT300T	LABEL KN10	EC/EE	100	11.00	12.00
KUT16, KUT25, ET16, ET35, KUF10, KUF10A*, KUF10D, DBK150/16-1X2, DBK150/16-1X4, DBK150/16-1X8, DBK150/25 Series, DST16, LPT235, LPT335, DBD16, DBD35, MCT4P4, DBK150/M6C Series, SPT Series, KBTM5-15C, KBTM6E, SCF6, DST16-1X2, DTB35-10X4, CST25	LABEL KN12	EC/EE	100	10.00 (For 5 label Strip)	12.00 (For 5 label Strip)
KUT35, KUT50, KUT95, ET50, KBTM6C, OAT25, CST70, CST185, DTB35-10	LABEL KN17	Elmex Electric	100	11.00 (For 5 label Strip)	13.00 (For 5 label Strip)

WARNING LABELS	Label Type	Supplied From	Std. Packing in Nos.	Rate in Rs.
Warning Labels with Mounting Screws(Nylon) for Standard Terminals				
KUT2.5	WL2.5	Elmex Electric	10	On Request
KUT4, KUT4N, CST2.5	WL4	Elmex Electric	10	On Request
KUT6, CST6	WL6	Elmex Electric	10	On Request
KUT10, CST10	WL10	Elmex Electric	10	On Request
KUT16, KUT25, CST16	WL16	Elmex Electric	10	On Request
PVC Group Marking Carrier				
For 32mm DIN Rail	GMC	Elmex Controls	-	37.00
For 32mm DIN Rail - 10mm Thick	GMH10	Elmex Electric	50	18.00
For 32mm DIN Rail - 20mm Thick	GMH20	Elmex Electric	50	27.00
Barrier Plate Universal Rail Mounted to Support PCK3	UHDD	EC/EE	50	33.00

Price List for Accessories



END Plates

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
			100		
KUT2.5	Elmex Electric	KPNS	100	6.00	6.60
KUT4, KUT6, KUT10	Elmex Electric	KPX	100	7.00	7.70
KUT4-1X2	Elmex Electric	KPM4	100	12.70	14.00
KUT4-2X2, KUDD4-2X2	Elmex Electric	KPMD4	100	17.40	19.00
KUT16	Elmex Electric	KPY	100	9.10	10.00
KUT25	Elmex Electric	KPT	100	9.10	10.00
KU2D4, KU2D4S	Elmex Electric	EPDD4	100	12.20	13.40
KUDD4, KUDD4CC1, KUDD4CC2, KUDD4CA1, KUDD4CA2, KUDD4D1, KUDD4R, KUDD4MOV	Elmex Electric	KPDD	100	12.20	13.40
DU3D4	Elmex Electric	DP3D	100	17.00	18.70
DUSD4	Elmex Electric	DPSD	100	12.80	14.10
KULT4, KULT6, KULT1	Elmex Electric	KPSL	100	12.80	14.10
KUT2.5N, KUT4N, KUT6N, KUT10N, KUT4NTCK, KUT4NTCJ, KUT4NTCT, KUT4NTCE	Elmex Electric	KPXN	100	8.40	9.24
KUDD4N, ETDD4N	Elmex Electric	KPDDN	100	19.10	21.00
KATM3, KATM4, KATM5, KBTM4, KBTM5-15, KBTM6, KABTM4, KABTM3L, KABTM5, KATM3E, KATM4E, KBTM4E	Elmex Electric	KPS4	100	11.20	12.30
KBTM6E	Elmex Electric	KPS6	100	13.90	15.30
OAT2.5	Elmex Electric	OEP2.5	100	10.30	11.30
OAT6	Elmex Electric	OEP6	100	11.20	12.30
OAT25	Elmex Electric	OEP25	100	14.90	16.40
OAT6T	Elmex Electric	OEP6T	100	16.00	17.60
OAT6DTS, OAT6DTS-2W	Elmex Electric	OEP6DTS	100	16.50	18.20
OAT10DTS	Elmex Electric	OEP10DTS	100	18.70	20.60
KUF10, KUF10D, KUF10A	Elmex Electric	EPF10	100	19.20	21.10
KUFH4, KUFH4D, KUFH4A	Elmex Electric	EPFH	100	13.80	15.20
KLTD4M4N	Elmex Electric	KPLD4	100	15.40	16.90
KUTSD6	Elmex Electric	KPSD	100	13.80	15.20
KUTD10	Elmex Electric	KPTD	100	15.40	16.90
KULTD6	Elmex Electric	KPSLD	100	14.90	16.40
KULTD4, KULTD4WS, KULTD4TS, KPCH4, KUDT6	Elmex Electric	KPSD4	100	11.70	12.90
KBT100	Elmex Electric	KPS100	100	14.40	15.80
DS3L2.5	Elmex Electric	DSEP3	100	31.80	On Request
DS8LP16, DS8LP32	Elmex Electric	DSEP8	100	On Request	-
SUT4	Elmex Electric	ES4	100	7.00	7.70
PET4	Elmex Electric	EPP	100	8.50	9.40
DST2.5	Elmex Electric	DSEP2.5	100	6.70	8.50
DST4, DSET4	Elmex Electric	DSEP4	100	8.00	10.10
DST6, DSET6	Elmex Electric	DSEP6	100	9.50	12.00
DST10, DSET10	Elmex Electric	DSEP10	100	10.10	12.80
DST16	Elmex Electric	DSEP16	100	16.00	20.20
SCT2.5, SCT2.5MC	Elmex Electric	SEP2.5	100	5.60	6.20
SCT4, SCET4	Elmex Electric	SEP4	100	6.20	6.80
SCT6	Elmex Electric	SEP6	100	8.50	9.40
SCT10	Elmex Electric	SEP10	100	9.60	10.60
DST2.5-1X2	Elmex Electric	DSMP2.5-1X2	100	8.00	8.80
DST2.5-2X2	Elmex Electric	DSMP2.5-2X2	100	8.50	9.40
DST4-1X2	Elmex Electric	DSMP4-1X2	100	9.90	10.90
DST4-2X2	Elmex Electric	DSMP4-2X2	100	12.20	13.40
DST6-1X2	Elmex Electric	DSMP6-1X2	100	12.20	13.40
DST10-1X2	Elmex Electric	DSMP10-1X2	100	12.60	13.90
DST16-1X2	Elmex Electric	DSMP16-1X2	100	13.80	15.20
DST2.5-2C1P	Elmex Electric	DSMP2.5-2C1P	100	13.30	14.60
DST2.5-2C2P	Elmex Electric	DSMP2.5-2C2P	100	16.00	17.60
DSDT2.5	Elmex Electric	DPDT2.5	100	9.60	On Request
DSDT2.5-2X2	Elmex Electric	DPMDT2.5	100	12.20	On Request
DSDD2.5	Elmex Electric	DPDD2.5	100	11.70	On Request
DCF4, DCF4D, DCF4A	Elmex Electric	DFEP	100	13.30	On Request
SCF6	Elmex Electric	SFEP6	100	11.20	On Request
MCT1.5	Elmex Electric	MEP1.5	100	4.00	On Request
MCT2.5, MCT2.5P4	Elmex Electric	MEP2.5	100	4.40	4.80
MCT2.5MC	Elmex Electric	MEP2.5MC	100	6.70	On Request
MCT4, MCT4P4	Elmex Electric	MEP4	100	8.00	8.80
DMCT2.5P4	Elmex Electric	DMEP2.5P4	100	10.60	-

Price List for Accessories



END Plates

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
PAT30	Elmex Electric	EPA30	100	13.30	14.60
PAT100, PAT150, PAT250	Elmex Electric	EPA100	100	19.10	21.00
PBTM3, PBTM4	Elmex Electric	EPBM4	100	7.50	8.30
CST2.5, CST6, CST10	EC/EE	EPX	100	8.00	8.80
CST16	Elmex Controls	EPY	100	15.40	16.90
CST25	Elmex Controls	EPT	100	16.00	17.60
CST35	Elmex Controls	EPZ	100	17.10	18.80
CATM3, CATM4, CATM5, CBTM4, CBT M5, CBT M6, CABTM4	Elmex Controls	EPS4	100	10.60	11.70
CBTM6S1, CBT100	Elmex Controls	EPS5/6	100	15.40	16.90
CATDM4	Elmex Controls	EPD4	100	17.10	18.80
CLTDM4	Elmex Controls	EPLD4	100	17.10	18.80
CSLT1	Elmex Controls	EPSL	100	13.80	15.20

PARTITION PLATES

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
KUT2.5, DBK2.5	Elmex Electric	KBM	100	13.30	14.60
KUT4, KST4UWS, KUT6, KUT10, DBK8, DBK1X2, DBK1X4, DBK1X8, FDBK8, FDBK1X4, FDBK1X8, DFBK12	Elmex Electric	KBX	100	16.50	18.20
KST6WS, KUT16, DBK150/16-1X2, DBK150/16-1X4	Elmex Electric	KBY	100	20.30	22.30
KUT25, DBK150/25-1X2, DBK150/25-1X4	Elmex Electric	KBT	100	21.30	23.40
SUT4	Elmex Electric	MBX	100	16.00	17.60
SCT2.5, SCT4	Elmex Electric	DBF1	100	33.00	36.30
DST2.5, DST4, DSET4	Elmex Electric	DBF2	100	35.00	38.50
DST2.5-1X2, DST4-1X2, DSDT2.5, SCT6, SCT10	Elmex Electric	DBF3	100	49.00	53.90
DST6, DST10, DST16, DSET6, DSET10, DST2.5-2X2, DST4-2X2	Elmex Electric	DBF4	100	61.90	68.10
DST6-1X2, DSDT2.5-2X2	Elmex Electric	DBF5	100	79.50	87.50

PARTITION PLATES WITH FOOT

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
KUTM2.5, KUT2.5, KUT4, KST4UWS, KUT6, KUT10, ET4, ET6, ET10, KATM3, KATM4, KATM5, KBTM4, KBTM5-15, KBTM6, KATM3C, KATM4C, KATM5C-15, KBTM6C, KATM3E, KATM4E, KBTM4E, KBTM5E, OAT2.5, OAT6, DBK8, DBK1X2, DBK1X4, DBK1X8, FDBK3, FDBK8, FDBK1X4, FDBK1X8, DFBK12, DBK2.5, DBD16, DBD35, DBM4-10W, KABTM4, CST2.5, CST2.5WS, CST6, CST10, CST6WS, CUT4, CUT6, CUT10	Elmex Electric	KBXF-Grey	100	20.20	22.20
KUT16, KUT25, KUT35, ET16, ET35, KULT4, KULT6, KULT1, KUDF4, KUDF4D, KUDF4A, KUDDF4, KUDDF4D, KUDDF4A, KUF10, KUF10D, KUF10A, KUFH4, KUFH4D, KUFH4A, KULTD4, KULTD4WS, KBT100, OAT6T, DBK150/16-1X2, DBK150/16-1X4, DBK150/25-1X2, DBK150/25-1X4, DBK150/M6C-1X2, DBK150/M6C-1X4, KPCH4, KUDT6, KUPDS6, CST16, CST25, CSLT1	Elmex Electric	KBZF-Grey	100	25.50	28.10
KUT2.5N, KUT4N, KUT6N, KUT10N, KUT4NTCK, KUT4NTCJ, KUT4NTCT, KUT4NTCE, ETN4, ETN6, ETN10, KUT4-1X2	Elmex Electric	KNBF2.5/10	100	25.50	28.10
DPBB50/50CN, DPBB70/70CN	Elmex Electric	BPN70	20	37.30	41.00
DPBB120/120CN	Elmex Electric	BPN120	20	42.50	46.80
DPBB185N, DPBB240	Elmex Electric	BPA185/240	20	58.50	64.40

PARTITION PLATES

Suitable For Terminal Type	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Rate in Rs. (Per Each) Non-Std. Colour
CBT110, CBT110T	Elmex Controls	BPA110	20	40.50	44.50
CBT170, CBT170T, CBT250, CBT250T, CBT300, CBT300T	Elmex Controls	BPA17/25	20	44.60	49.10
CBT170, CBT170T, CBT250, CBT250T, CBT300, CBT300T	Elmex Controls	BPA25/30	20	58.50	64.40

Price List for Accessories



INTER CONNECTING ACCESSORIES

All Shorting Prices are for 2 Way Shorting	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
Removable Shorting Links - 2 Ways					
KUT4, CST2.5	EC/EE	RSL2.5	50	6.00	
KUT6, CST6	EC/EE	RSL6	50	6.00	
KUT10, CST10	EC/EE	RSL10	50	7.00	
KUT16, CST16	EC/EE	RSL16	50	9.5	
KUT25, CST25	EC/EE	RSL25	50	15.00	
CST35	Elmex Controls	RSL35	50	20.00	
KUT35	Elmex Electric	RSL35K	50	20.00	
KULT1, CSLT1	EC/EE	RSL1L	50	30.00	
Long Stud With Screws for Removable Shorting Links					
KUT4, KUT6, CST2.5, CST6	EC/EE	LSR2.5-6	50	11.00	
KUT10, KUT16, KUT25, CST10, CST16	EC/EE	LSR10-16	50	12.00	
CST25	Elmex Controls	LSR25	50	18.00	
CST35	Elmex Controls	LSR35	50	26.00	
KUT35	Elmex Electric	LSR35K	50	25.00	
KULT1, CSLT1	EC/EE	LSR1L	50	32.00	
KUT2.5N	Elmex Electric	LSR2.5N	50	10.00	
KUT4N, KUT4-1X2, KUT4-2X2, KUT6N	Elmex Electric	LSR6N	50	11.00	

Description	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
Cross Connection Link Assembly for Permanent Shorting 2 way with Captive Screws, Sleeves and Washer					
KUT2.5	Elmex Electric	CCLM2.5K	50	15.00	
KUT4, CST2.5	EC/EE	CCLA2.5	50	18.00	
KUT6, KUT6N, CST6	EC/EE	CCLA6/6N	50	18.00	
KUT10, CST10, KUT10N	EC/EE	CCLA10/10N	50	19.50	
KUT16, CST16	EC/EE	CCLA16	50	23.00	
KUT25, CST25	EC/EE	CCLA25	50	25.50	
CST35	Elmex Controls	CCLA35	50	30.50	
KUT35	Elmex Electric	CCLA35K	50	30.50	
KUT50	Elmex Electric	CCLA50	50	115.00	
KU2D4, KUDD4, SUT4, CUDD4	EC/EE	CCLADD	50	15.50	
DU3D4, DUSD4	Elmex Electric	CCLATD	50	15.50	
KULT4	Elmex Electric	CCLAK4	50	17.00	
KULT6	Elmex Electric	CCLAK6	50	20.00	
CSLT1	Elmex Controls	CCLA1L	50	27.00	
KULT1	Elmex Electric	CCLA1LK	50	26.00	
KUT2.5N	Elmex Electric	CCLK2.5/CCLM2.5N	50	15.00	
KUT4N, KUT4-1X2, KUT4-2X2	Elmex Electric	CCLA4N	50	16.50	
KUDD4N	Elmex Electric	CCLADDN	50	20.00	

INTER CONNECTING ACCESSORIES

Description	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
Comb Type Shorting Links with Insulation -2 Ways for					
KUT2.5N	Elmex Electric	SLC2.5N	50	18.50	
KUT2.5, DU3D4, DUSD4, KULT4, KUDD4N, KULTD4, KULTD4WS, KPCH4, KUDD4-2X2, KU2D4, KU2D4S, KUDD4	EC/EE	SLC4N	50	19.50	
KUT4, CST2.5	EC/EE	SLC2.5	50	18.50	
CET4	Elmex Electric	SLE2	50	21.50	
KUT6, KULT6, KUT6N, KUTSD6, KUTD10	EC/EE	SLC6	50	26.00	
KUT10, CST10	EC/EE	SLC10N	50	29.00	
KATM3, KATM3E, KABTM3L	Elmex Electric	KSL3	50	25.80	
KATM4, KATM4E, KATM5, KBTM4, KBTM4E, KABTM4, KABTM5	Elmex Electric	KSL4	50	27.00	
KBTM5-15, KBTM5E, CBTM4, CBTM5	EC/EE	KSL5	50	28.00	
KBTM6, CBTM6	EC/EE	KSL6/BSL6	50	30.00	
OAT25	Elmex Electric	KSL7	50	34.50	
OAT2.5	Elmex Electric	OSL2.5	50	25.00	
OAT6, OAT6T, OAT6DTS, OAT6DTS-2W	Elmex Electric	OSL6/OSL6R	50	27.00/32.00	
OAT6DTS-2WSL	Elmex Electric	OSLD6	50	43.00	
OAT10DTS	Elmex Electric	OSLD10	50	64.50	
KUDF4, KUDF4AD, KUDDF4, KUDDF4AD	Elmex Electric	UFSL	50	26.00	
KLTD4M4NV	Elmex Electric	KDSL4	50	28.00	

Price List for Accessories



INTER CONNECTING ACCESSORIES

All Shorting Prices are for 2 Way Shorting	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
Comb Type Shorting Links with Insulation - 2 Ways for					
KULTD6	Elmex Electric	KSLD6	50	23.00	
KUTD6	Elmex Electric	SLC6SL	50	23.50	
DTB35-10	Elmex Electric	SLC17.5	50	59.00	
KULTD6, KUPTD6, KUPTD6S	Elmex Electric	SLD6	50	26.00	
CATM3	Elmex Controls	ASL1	50	29.00	
CATM4, CATM5, CATDM4, CLTDM4, CABTM4	Elmex Controls	ADSL/ADSLR	50	27.00/32.50	
Insulated Push-In Type Shorting Link - 2 Ways for					
DST2.5, DCT2.5-1X2, DST2.5-1X2, DST2.5-2X2, SCT2.5, SCT2.5MC	Elmex Electric	SSL2.5	100	11.00	
DST4, SCT4, DCF4, DCF4D, DCF4A, DSD2.5, DCDT4, DS3L2.5	Elmex Electric	SSL4	100	18.50	
DST6, SCT6	Elmex Electric	SSL6	100	26.00	
DST10, SCT10, DST10-1X2	Elmex Electric	SSL10	100	42.00	
DST16	Elmex Electric	SSL16	100	67.00	
DST35	Elmex Electric	SSL35	100	90.00	
MCT1.5	Elmex Electric	MSL1.5	100	16.00	
MCT2.5, MCT2.5P4, MCT2.5MC	Elmex Electric	MSL2.5	100	16.50	
MCT4, MCT4P4	Elmex Electric	MSL4	100	21.00	
Link to use KUDDF4 and KUDDF4 as Disconnecting Terminal	Elmex Electric	DL4	100	-	

Available upto 10 ways (No. of ways Required = Rate for 2 ways / 2 x No. of ways Required)

PROTECTION COVER

All Shorting Prices are for 2 Way Shorting	Supplied From.	Type	Std. Packing in Nos.	Rate in Rs. (Per Each)	Note
CST2.5, CST6, CST10, KUT4, KUT6, KUT10	Elmex Controls	PCST (300mm)	-	124.00	
CATM3, CATM4, CBTM4, CBTM5, CBTM6, CABTM4	Elmex Controls	PCC3 (300mm)	-	135.00	
KATM3, KATM4, KATM5, KBTM4, KBTM5-15, KBTM6, KABTM4	Elmex Electric	PCC3K (300mm)	-	135.00	
CBT110, CBT110T (Covers One Terminal Block)	Elmex Controls	PCP110	-	54.00	
CBT110, CBT110T (Covers Two Terminal Block)	Elmex Controls	PCP110L	-	59.50	
DPBB50/50CN, DPBB70/70CN, DPBB120/120CN (Covers One Terminal Block)	Elmex Electric	PCP120	-	48.50	
CBT170, CBT170T (Covers One Terminal Block)	Elmex Controls	PCP170	-	62.50	
CBT170, CBT170T (Covers Two Terminal Block)	Elmex Controls	PCP170L	-	65.00	
CBT250, CBT250T, CBT300, CBT300T (Covers One Terminal Block)	Elmex Controls	PCP250	-	68.00	
CBT250, CBT250T, CBT300, CBT300T (Covers Two Terminal Block)	Elmex Controls	PCP25/30L	-	81.00	
KUTM2.5, KUT2.5, KUT4, KUT6, KUT10, KUT10, KUT16, KUT25, KUT35, ET4, ET6, ET10, ET16, ET35, KU2D4, KULT4, KULT6, KULT1, KUT2.5N, KUT4N, KUT6N, KUT10N, OAT2.5, OAT6, OAT6DTS, OAT6DTS-2W, KULTD4, KULTD4WS, KULTD4TS, KUDD4CC1, KUDD4CC2, KUDD4D1, KUDD4R, KUDD4CA1, KUDD4CA2, KUDT4-2X2, KUDD4MOV, CSTM2.5, CST2.5, CST6, CST10, CST16, CST25, CST2.5WS, CST6WS, CSLT1, ETN4, ETN6, ETN10, KUT4-1X2, KPCH4	EC/EE	PCK3	-	161.00	
CATDM4, CLTDM4, KLDM4	EC/EE	PCD3(300mm)	-	183.00	
CATM3 (Covers Two Terminal Block)	Elmex Controls	PCCM20	-	21.50	
CATM3 (Covers Three Terminal Block), CBTM4, CBTM5 (Covers One Terminal Block)	Elmex Controls	PCCM30	-	22.00	
CATM4, CATM5, CABTM4 (Covers Two Terminal Block)	Elmex Controls	PCCM26	-	19.00	
CATM4, CATM5 (Covers Three Terminal Block)	Elmex Controls	PCCM39	-	25.00	
CBTM4, CBTM5, CBTM5-15 (Covers Three Terminal Block)	Elmex Controls	PCCM45K	-	25.00	
CBTM6 (Covers Three Terminal Block)	Elmex Controls	PCCM60	-	27.00	
CATDM4, CLTDM4 (Covers Two Terminal Block)	Elmex Controls	PCDM26	-	22.50	
CATDM4, CLTDM4 (Covers Three Terminal Block)	Elmex Controls	PCDM39	-	32.50	
KATM3, KATM3E (Covers Two Terminal Block)	Elmex Electric	PCCM17K	-	18.50	
KBTM6 (Covers Three Terminal Block)	Elmex Electric	PCCM51K	-	28.00	
KBT100, CBT100 (Covers Two Terminal Block)	EC/EE	PCCM52K	-	26.00	
KBT100, CBT100 (Covers Three Terminal Block)	EC/EE	PCCM78K	-	41.00	
CBTM6 (Covers Two Terminal Block)	Elmex Controls	PCCM40	-	24.50	
KATM4, KATM4E, KATM5, KBTM4, KBTM4E, KABTM4 (Covers Two Terminal Block)	Elmex Electric	PCCM26K	-	19.00	
KATM4, KATM4E, KATM5, KBTM4, KBTM4E, KBTM5E KABTM4 (Covers Three Terminal Block)	Elmex Electric	PCCM39K	-	25.00	

Note

- The Standard colour of Polyamide 66 Terminals and Accessories will be Grey. The non-standard colour will be Red, Yellow, Blue, Black. Any colour other than these shall be quoted against specific request.
- The Purchase Order for non-standard colour items other than Terminals KUT2.5 to KUT35 and all Stud Type Terminals will be subject to Minimum Order Quantity. Please Contact us for MOQ.
- Standard colour for Melamine Terminals and accessories is Khakhi. The non-standard colour will be Red, Yellow, Blue, Black Only.
- Please contact us for the prices of channels for lengths other than mentioned in the price list.

Terms & Conditions

1. Price : Ex-works Vadodara/ Por/ Itola.
2. Packing & Forwarding : Inclusive of standard packing.
3. GST : Extra as applicable.
4. Freight : To be borne by customer.
5. Payment : 100% advance or as agreed.
6. Dispatch : By Road/Rail/Courier or on request by Air.
7. Insurance : If desired by customer, at his cost.
8. Arbitration : All disputes arising in connection with the supply shall be under the rule of conciliation and arbitration of the international Chamber of commerce by one or more Arbitrators appointed in accordance with the rules.
9. Place of jurisdiction : The competent place of jurisdiction will be Vadodara, Gujarat, India.
10. Shortages/Damage/Loss in Transit : Our liability for any shortage, damage or loss in transit for any reason whatsoever shall cease after the consignment is handed over to the transporter & LR/Railway Receipt is obtained by us. Claims, if any, should be referred by the customer to the insurance company.

Special Clauses

1. Deduction : You/Your bankers will not deduct any amount, whatsoever, from our bills without our prior written consent.
2. Price Variation : We reserve the rights to revise our Price list as and when required without any prior notice.



Elmex Controls Pvt. Ltd. | Elmex Electric Pvt. Ltd.

12, GIDC Estate, Makarpura, Vadodara -390010, Gujarat, India

☎ 0265-2642021 / 23

✉ marketing@elmex.net

🌐 www.elmex.net

Elmex Pricelist April 2025

ElmexControls

ElmexControls

ElmexControls

ElmexControls

ElmexControls

